


TIARA COMPUTER SYSTEMS, INC.
Ethernet LanCard * 2000

NIC Type Ethernet
Transfer Rate 10Mbps
Data Bus 16-bit ISA
Topology Linear Bus
Wiring Type RG-58A/U 50ohm coaxial
 AUI transceiver via DB-15 port
Boot ROM Available



CABLE TYPE	
Type	JP1 - JP7
RG-58A/U 50ohm coaxial	Pins 2 & 3 Closed
AUI transceiver via DB-15 port	Pins 1 & 2 Closed

CABLE LENGTH CONFIGURATION	
Setting	JP8
Long cable segment mode (100 nodes on a single 984 foot cable)	Closed
Short cable segment mode (30 nodes on a single 607 foot cable)	Open

ETHERNET VERSION CONFIGURATION	
Version	JP9
iThin Ethernet version 2 (IEEE 802.3)	Open
Thin Ethernet version 1	Closed

WAIT STATE		
Setting	JP18	JP34
iZero wait states enabled	Closed	Closed
Zero wait states disabled	Open	Open

Continued on next page . . .

BOOT ROM	
Setting	JP19
iDisabled	Open
Enabled	Closed

INTERRUPT REQUEST								
IRQ	JP10	JP11	JP12	JP13	JP14	JP15	JP16	JP17
i3	Open	Open	Open	Open	Closed	Open	Open	Open
2	Open	Open	Open	Closed	Open	Open	Open	Open
4	Open	Open	Open	Open	Open	Closed	Open	Open
5	Open	Open	Open	Open	Open	Open	Closed	Open
7	Open	Closed						
10	Open	Open	Closed	Open	Open	Open	Open	Open
11	Open	Closed	Open	Open	Open	Open	Open	Open
15	Closed	Open						

BOOT ROM ADDRESS						
Address	JP24	JP25	JP26	JP27	JP28	JP29
C0000h	Open	Closed	Closed	Closed	Closed	Closed
C2000h	Open	Closed	Closed	Closed	Closed	Open
C4000h	Open	Closed	Closed	Closed	Open	Closed
C6000h	Open	Closed	Closed	Closed	Open	Open
C8000h	Open	Closed	Closed	Open	Closed	Closed
CA000h	Open	Closed	Closed	Open	Closed	Open
CC000h	Open	Closed	Closed	Open	Open	Closed
CE000h	Open	Closed	Closed	Open	Open	Open
D0000h	Open	Closed	Open	Closed	Closed	Closed
D2000h	Open	Closed	Open	Closed	Closed	Open
D4000h	Open	Closed	Open	Closed	Open	Closed
D6000h	Open	Closed	Open	Closed	Open	Open
D8000h	Open	Closed	Open	Open	Closed	Closed
DA000h	Open	Closed	Open	Open	Closed	Open
DC000h	Open	Closed	Open	Open	Open	Closed
DE000h	Open	Closed	Open	Open	Open	Open

TIARA COMPUTER SYSTEMS, INC.
Ethernet LanCard * 2000

... continued from previous page

I/O BASE ADDRESS				
Address	JP20	JP21	JP22	JP23
1300h	Closed	Closed	Closed	Open
200h	Closed	Closed	Closed	Closed
220h	Open	Closed	Closed	Closed
240h	Closed	Open	Closed	Closed
260h	Open	Open	Closed	Closed
280h	Closed	Closed	Open	Closed
2A0h	Open	Closed	Open	Closed
2C0h	Closed	Open	Open	Closed
2E0h	Open	Open	Open	Closed
320h	Open	Closed	Closed	Open
340h	Closed	Open	Closed	Open
360h	Open	Open	Closed	Open
380h	Closed	Closed	Open	Open
3A0h	Open	Closed	Open	Open
3C0h	Closed	Open	Open	Open
3E0h	Open	Open	Open	Open