


PIXELWORKS, INC.
 ULTRA CLIPPER GRAPHICS UA1024/V

Category	Video
Video Types Supported	XVGA
Video Processor	Pixelworks, Inc.(exact location unidentified)
Highest Resolution Supported	1280 x 1024
Data Bus Type	16-bit ISA
Memory Type	DRAM
Maximum Onboard Memory	875KB



CONNECTIONS			
Pt. pose	Location	Pt. pose	Location
15-pin analog video port	CN1	Daughterboard connector	CN3 & CN4

BASE I/O ADDRESS SELECTION	
Address	WD
í 330h	Pins 1 & 2 closed
340	Pins 2 & 3 closed

DMA SELECTION		
Channel	WA	WB
í 6	Pins 1 & 2 closed	Pins 1 & 2 closed
5	Pins 4 & 5 closed	Pins 4 & 5 closed
7	Pins 2 & 3 closed	Pins 2 & 3 closed

INTERRUPT SELECTION	
IRQ	WC
í 10	Pins 1 & 2 closed
11	Pins 2 & 3 closed
12	Pins 4 & 5 closed

Continued on next page. . .


PIXELWORKS, INC.
 ULTRA CLIPPER GRAPHICS UA1024/V

...continued from previous page

MONITOR SYNC MODE SELECTION		
Mode	SW1/1	SW1/2
i 3	Off	Off
4	On	Off
5	On	On

CGA EMULATION CONFIGURATION	
Setting	SW1/1
Enabled	On
Disabled	Off

VGA PASS-THROUGH CONFIGURATION	
Setting	SW1/2
Enabled	On
Disabled	Off



CONNECTIONS	
Purpose	Location
VGA pass-through port	CN2

MONITOR SYNC MODE SELECTION				
Mode	SW2/1	SW2/2	SW2/3	SW2/4
i 3	On	On	Off	Off
4	On	Off	Off	Off
5	Off	Off	On	Off