


PIXELWORKS, INC.  
 ULTRA CLIPPER GRAPHICS UA1280/V (6-SWITCH)

Category	Video
Video Types Supported	XVGA
Video Processor	Pixelworks, Inc.(exact location unidentified)
Highest Resolution Supported	1280 x 1024
Data Bus Type	16-bit ISA
Memory Type	DRAM
Maximum Onboard Memory	1.5MB



CONNECTIONS			
Purpose	Location	Purpose	Location
15-pin analog video port	CN1	Daughterboard connector	CN3 & CN4

BASE I/O ADDRESS SELECTION	
Address	WD
330h	Pins 1 & 2 closed
340	Pins 2 & 3 closed

DMA SELECTION		
Channel	WA	WB
6	Pins 1 & 2 closed	Pins 1 & 2 closed
5	Pins 4 & 5 closed	Pins 4 & 5 closed
7	Pins 2 & 3 closed	Pins 2 & 3 closed

INTERRUPT SELECTION	
IRQ	WC
10	Pins 1 & 2 closed
11	Pins 2 & 3 closed
12	Pins 4 & 5 closed

Continued on next page. . .


PIXELWORKS, INC.  
 ULTRA CLIPPER GRAPHICS UA1280/V (6-SWITCH)

...continued from previous page

CGA EMULATION CONFIGURATION	
Setting	SW1/1
Enabled	On
Disabled	Off

VGA PASS-THROUGH CONFIGURATION	
Setting	SW1/2
Enabled	On
Disabled	Off

FACTORY CONFIGURED - DO NOT ALTER	
Switch	Position
SW1/3	Off
SW1/4	Off
SW1/5	On
SW1/6	Off



CONNECTIONS	
Purpose	Location
VGA pass-through port	CN2

MONITOR SYNC MODE SELECTION				
Mode	SW2/1	SW2/2	SW2/3	SW2/4
3	On	On	Off	Off
4	On	Off	Off	Off
5	Off	Off	On	Off