


FORCOM TECHNOLOGY CORPORATION

B 7 3 0 / B 7 3 1 / B 7 3 3

Processor 80486SX/80487SX/80486DX
Processor Speed 20/25/33MHz
Chip Set OPTI
Max. Onboard DRAM 32MB
Cache 64/256KB
BIOS AMI
Dimensions 328mm x 227mm
I/O Options None
NPU Options 4167



CONNECTIONS			
Purpose	Location	Purpose	Location
External battery	J1	Speaker	J5
Turbo LED	J3	Reset switch	J6
Power LED & Keylock	J4	Turbo switch	J7

Continued on next page . . .

FORCOM TECHNOLOGY CORPORATION
B 7 3 0 / B 7 3 1 / B 7 3 3

... continued from previous page

USER CONFIGURABLE SETTINGS		
Function	Jumper	Position
í Monitor type select monochrome	J2	Open
Monitor type select color	J2	Closed
í CPU speed select iOSC	J11	pins 2 & 3 closed
CPU speed select iOSC/2	J11	pins 1 & 2 closed

DRAM CONFIGURATION				
Size	Bank 0	Bank 1	Bank 2	Bank 3
1MB	(4) 256K x 9	NONE	NONE	NONE
2MB	(4) 256K x 9	(4) 256K x 9	NONE	NONE
4MB	(4) 1M x 9	NONE	NONE	NONE
5MB	(4) 256K x 9	(4) 1M x 9	NONE	NONE
6MB	(4) 256K x 9	(4) 256K x 9	(4) 1M x 9	NONE
8MB	(4) 1M x 9	(4) 1M x 9	NONE	NONE
9MB	(4) 256K x 9	(4) 1M x 9	(4) 1M x 9	NONE
10MB	(4) 256K x 9	(4) 256K x 9	(4) 1M x 9	(4) 1M x 9
12MB	(4) 1M x 9	(4) 1M x 9	(4) 1M x 9	NONE
13MB	(4) 256K x 9	(4) 1M x 9	(4) 1M x 9	(4) 1M x 9
16MB	(4) 1M x 9	(4) 1M x 9	(4) 1M x 9	(4) 1M x 9
16MB	(4) 4M x 9	NONE	NONE	NONE
20MB	(4) 1M x 9	(4) 4M x 9	NONE	NONE
24MB	(4) 1M x 9	(4) 1M x 9	(4) 4M x 9	NONE
28MB	(4) 1M x 9	(4) 1M x 9	(4) 1M x 9	(4) 4M x 9
32MB	(4) 4M x 9	(4) 4M x 9	NONE	NONE
36MB	(4) 4M x 9	(4) 4M x 9	(4) 1M x 9	NONE
40MB	(4) 4M x 9	(4) 4M x 9	(4) 1M x 9	(4) 1M x 9
48MB	(4) 4M x 9	(4) 4M x 9	(4) 4M x 9	NONE
52MB	(4) 4M x 9	(4) 4M x 9	(4) 4M x 9	(4) 1M x 9
64MB	(4) 4M x 9	(4) 4M x 9	(4) 4M x 9	(4) 4M x 9

Note: Banks 2 & 3 are optional SIMM sockets and must be added to the mainboard by the user.

CACHE CONFIGURATION			
Size	Bank 0	TAG (U41)	TAG (U42)
64KB	(8) 8K x 8	(1) 16K x 4	(1) 8K x 8
256KB	(8) 32K x 8	(1) 16K x 4	(1) 32K x 8

CACHE JUMPER CONFIGURATION			
Size	J13	J14	J15
64KB	Open	Open	Open
256KB	Closed	Closed	Closed

CPU TYPE CONFIGURATION			
Type	J9	J10	J16
80486SX	pins 2 & 3 closed	Open	Open
80487SX	pins 1 & 2 closed	Closed	pins 1 & 2 closed
80486DX	pins 1 & 2 closed	Closed	pins 2 & 3 closed

