


# IPC CORPORATION

## IPC DYNASTY HE/VALUEMAGIC (MB486HE #40)

<b>Processor</b>	80486SX/80486DX/80486DX2/P23N/Pentium Overdrive
<b>Processor Speed</b>	25/33/50(internal)/66(internal)MHz
<b>Chip Set</b>	Unidentified
<b>Max. Onboard DRAM</b>	32MB
<b>Cache</b>	128/256KB
<b>BIOS</b>	Unidentified
<b>Dimensions</b>	254mm x 218mm
<b>I/O Options</b>	32-bit VESA local bus slots (2)
<b>NPU Options</b>	None



CONNECTIONS			
Purpose	Location	Purpose	Location
Internal battery	J1	Keylock	J7
External battery	J2	Speaker	J8
Reset switch	J4	Power LED	JP6
Turbo switch	J6	32-bit VESA local bus slots	SL1 & SL2

Continued on next page. . .

# IPC CORPORATION

## IPC DYNASTY HE/VALUEMAGIC (MB486HE #40)

... continued from previous page

USER CONFIGURABLE SETTINGS		
Function	Jumper	Position
í Power good signal detect from board	JP1	pins 1 & 2 closed
Power good signal detect from power supply	JP1	pins 2 & 3 closed
í ELBA# enabled	JP2	pins 1 & 2 closed
LDEV1# enabled	JP2	pins 2 & 3 closed
í Factory configured - do not alter	JP3	pins 1 & 2 closed
í Factory configured - do not alter	JP6	N/A
í ADS delay select no delay	JP7	pins 1 & 2 closed
ADS delay select 1-T delay	JP7	pins 2 & 3 closed
í CPURDY delay select no delay	JP8	pins 1 & 2 closed
CPURDY delay select 1-T delay	JP8	pins 2 & 3 closed

DRAM CONFIGURATION		
Size	Bank 0	Bank 1
4MB	(4) 1M x 9	NONE
8MB	(4) 1M x 9	(4) 1M x 9
16MB	(4) 4M x 9	NONE
32MB	(4) 4M x 9	(4) 4M x 9

CACHE CONFIGURATION			
Size	Bank 0	Bank 1	TAG
128KB	(4) 32K x 8	NONE	(1) 8K x 8
256KB	(4) 32K x 8	(4) 32K x 8	(1) 32K x 8

CACHE JUMPER CONFIGURATION					
Size	JP9	JP10	JP11	JP12	JP13
128KB	2 & 3	2 & 3	Open	Closed	Closed
256KB	1 & 2	1 & 2	Closed	Closed	Closed

Note: Pins designated should be in the closed position.

CPU TYPE CONFIGURATION		
Type	JP14	JP15
80486SX (PQFP)	Open	pins 3 & 4 closed
80486SX (PGA)	Open	pins 2 & 3 closed
80486DX (PQFP)	Open	pins 3 & 4 closed
80486DX	pins 1 & 2 closed	pins 1 & 2, 3 & 4 closed
80486DX2	pins 1 & 2 closed	pins 1 & 2, 3 & 4 closed
P23N	pins 2 & 3 closed	pins 1 & 2, 3 & 4 closed
Pentium Overdrive	pins 2 & 3 closed	pins 1 & 2, 3 & 4 closed

Continued on next page. . .

## IPC CORPORATION

## IPC DYNASTY HE/VALUEMAGIC (MB486HE #40)

*... continued from previous page*

CPU SPEED CONFIGURATION	
Speed	JP18
25MHz	pins 2 & 3 closed
33MHz	pins 1 & 2 closed
50MHz	pins 2 & 3 closed
66MHz	pins 1 & 2 closed

BUS SPEED CONFIGURATION	
CPU speed	JP16
<= 33MHz	Open
> 33MHz	Closed