


IBM CORPORATION PS/VALUEPOINT 6381 433DX/466DX2

Processor	80486DX/80486DX2
Processor Speed	33/66(internal)MHz
Chip Set	Unidentified
Maximum Onboard Memory	64MB
Cache	128/256KB
BIOS	Unidentified
Dimensions	330mm x 218mm
I/O Options	Parallel port, PS/2 mouse port, serial ports (2), VGA port
NPU Options	None



CONNECTIONS			
Function	Label	Function	Label
PS/2 mouse port	CN2	Parallel port	CN5
Serial port	CN3	VGA port	CN6
Serial port	CN4	Riser slot	SL1

Continued on next page . . .

IBM CORPORATION

PS/VALUEPOINT 6381 433DX/466DX2

... continued from previous page

USER CONFIGURABLE SETTINGS		
Setting	Label	Position
í Jumper information unavailable	J1	N/A
í Jumper information unavailable	J2	N/A
í Factory configured - do not alter	FLASH	N/A
Video IRQ9 enabled	IRQ9	Pins 2 & 3 closed
Video IRQ9 disabled	IRQ9	Pins 1 & 2 closed
Mouse IRQ12 enabled	IRQ12	Closed
Mouse IRQ disabled	IRQ12	Open
Beeper enabled	SPKR	Pins 1 & 2 closed
Speaker enabled/beeper disabled	SPKR	Pins 2 & 3 closed
Floppy drive write protect disabled	WRTPRO	Pins 1 & 2 closed
Floppy drive write protect enabled	WRTPRO	Pins 2 & 3 closed

Note: The FLASH jumper may not be present on all boards.

DRAM				
Size	Bank 0	Bank 1	Bank 2	Bank 3
1MB	(1) 256K x 36	None	None	None
2MB	(1) 512K x 36	None	None	None
2MB	(1) 256K x 36	(1) 256K x 36	None	None
4MB	(1) 256K x 36	(1) 256K x 36	(1) 512K x 36	None
4MB	(1) 512K x 36	(1) 512K x 36	None	None
4MB	(1) 1M x 36	None	None	None
6MB	(1) 256K x 36	(1) 256K x 36	(1) 1M x 36	None
6MB	(1) 512K x 36	(1) 1M x 36	None	None
8MB	(1) 256K x 36	(1) 256K x 36	(1) 512K x 36	(1) 1M x 36
8MB	(1) 512K x 36	(1) 512K x 36	(1) 1M x 36	None
8MB	(1) 1M x 36	(1) 1M x 36	None	None
8MB	(1) 2M x 36	None	None	None
10MB	(1) 256K x 36	(1) 256K x 36	(1) 1M x 36	(1) 1M x 36
12MB	(1) 512K x 36	(1) 512K x 36	(1) 1M x 36	(1) 1M x 36
12MB	(1) 1M x 36	(1) 1M x 36	(1) 1M x 36	None
16MB	(1) 1M x 36	(1) 1M x 36	(1) 1M x 36	(1) 1M x 36
16MB	(1) 2M x 36	(1) 2M x 36	None	None
16MB	(1) 4M x 36	None	None	None
18MB	(1) 256K x 36	(1) 1M x 36	(1) 4M x 36	None
18MB	(1) 512K x 36	(1) 4M x 36	None	None
20MB	(1) 512K x 36	(1) 512K x 36	(1) 2M x 36	None
20MB	(1) 1M x 36	(1) 4M x 36	None	None
24MB	(1) 512K x 36	(1) 512K x 36	(1) 1M x 36	(1) 4M x 36
24MB	(1) 1M x 36	(1) 1M x 36	(1) 4M x 36	None
24MB	(1) 2M x 36	(1) 2M x 36	(1) 2M x 36	None
32MB	(1) 2M x 36	(1) 2M x 36	(1) 2M x 36	(1) 2M x 36

Continued on next page...

IBM CORPORATION
PS/VALUEPOINT 6381 433DX/466DX2

... continued from previous page

DRAM (CON'T)				
Size	Bank 0	Bank 1	Bank 2	Bank 3
32MB	(1) 4M x 36	(1) 4M x 36	None	None
36MB	(1) 512K x 36	(1) 512K x 36	(1) 4M x 36	(1) 4M x 36
36MB	(1) 1M x 36	(1) 4M x 36	(1) 4M x 36	None
40MB	(1) 1M x 36	(1) 1M x 36	(1) 4M x 36	(1) 4M x 36
48MB	(1) 4M x 36	(1) 4M x 36	(1) 4M x 36	None
64MB	(1) 4M x 36	(1) 4M x 36	(1) 4M x 36	(1) 4M x 36

CACHE SIZE			
Size	Bank 0	Bank 1	TAG
128KB	(4) 32K x 8	None	(2) 32K x 8
256KB	(4) 32K x 8	(4) 32K x 8	(2) 32K x 8

CACHE JUMPER			
Size	JP1	JP2	JP3
None	Pins 1 & 2 closed	Pins 1 & 2 closed	Pins 1 & 2 closed
128KB	Pins 1 & 2 closed	Pins 1 & 2 closed	Pins 1 & 2 closed
256KB	Pins 2 & 3 closed	Pins 2 & 3 closed	Pins 2 & 3 closed

VIDEO MEMORY	
Size	Bank 0
512KB	(4) 256K x 4

ON BOARD VIDEO		
Setting	VIDEO1	VIDEO2
Enabled	Pins 1 & 2 closed	Pins 1 & 2 closed
Disabled	Pins 2 & 3 closed	Pins 2 & 3 closed