

MI-NM70D

Intel® Celeron 1037U

Intel® NM70 Express Chipset

Intel® HD Graphics

1x SO-DIMM DDR3-1066/1333MHz up to 4G

2x SATA / 2x G-b LAN

1x VGA / 6x COM / TPM (Optional)



Compatible with Windows®

Compatible with Windows® to provide user-friendly environment and to optimize computer capabilities.



Mini-ITX

Mini-ITX gives you freedom to choose smaller and cool-looking case. It is easy to build your own personalized media centralized PC.



Intel® Celeron 1037u

Intel® Celeron 1037u with Intel Intel® HD Graphics graphics integrated for entry-level desktops continues to provide innovation, enabling smaller and more energy efficient designs.



Microsoft® DirectX® 10.1

Microsoft® DirectX® 10.1 features the latest technologies of Compute Shaders, Direct 2D, Multi-threaded Rendering and tessellation for create worlds realistic characters and more fluid game play.



PCI EXPRESS 2.0

The exceptionally increased interconnect bit rate from 2.5GT/s would effectively eliminates the bottle neck of the system performance and brings the most terrific computing experience from the present the future.



Gigabit LAN

The Gigabit network interface delivers a high speed LAN connection with data transfer rate up to 1000Mb/s, providing new generation connectivity for the broadband era. Gigabit LAN is ideally for seamless internet connection such as streaming audio and video contents.



Serial ATA III 6.0 Gb/s

The SATA specification doubles bus bandwidth from 3Gb/s to 6Gb/s.

Serial ATA II 3.0 Gb/s

The SATA specification doubles bus bandwidth from 1.5Gb/s to 3Gb/s.



COM Port- RS232

Serial communication has been widely adopted in data transmission, especially in the remote transmission of multiple lines, for it can avoids the quality inconsistency under the same standard interface.



ROHS Compliant

SPECIFICATIONS

CPU	Intel® Celeron 1037U 1.8 MHz, TDP 17W
Chipset	Intel® NM70 Express Chipset
Graphics	Intel® HD Graphics, 350-1000MHz Microsoft® DirectX® 10.1
Memory	1x SO-DIMM Socket DDR3-1066/1333 up to 4G
Expansion Slots	1x PCIe_1X 2xMini-PCIe (1xFull Height for mSATA / USB; 1xHalf for Mini PCIe / USB)
Storage	2x SATA (3Gb/s and 6Gb/s ports)
Audio	ALC662 5.1-Channel HD Audio Codec
LAN	2x RTL8111E Gigabit Ethernet
Rear Panel I/O	1*DC_IN 12V5A 2x PS/2 ports 1x COM port 1x VGA port 1*LPT port 2x LAN port (RJ45) 4x USB 2.0/1.1ports 3x Audio jacks (Audio out+ MIC IN)
Internal I/O Connectors	1x PS/2 connector 5x COM header 1x VGA connector 1xDVI connector 1x 9-pin Audio header 1x USB header for 2 USB 2.0 ports 1x USB header+1x IR header 1x PCIe_1X slot 2x SATA connectors 2*mini-pcie 1*4 pin SATA power 1x Front Panel header 1x SYS FAN+1x CPU FAN connector 1x 24bit LVDS header 1*4pin ATX power
BIOS	SPI 16Mb Flash ROM Phoenix EFI BIOS, ACPI
Form Factor	Mini-ITX, 170mm x 170mm