

M4A79 Deluxe



Product support for
M4A79 Deluxe

[Find another model >](#)

By registering your device, you can easily manage your product warranty, get technical support and keep track of your repair status.

[Register Product](#)



- CPU / Memory Support
- Driver & Tools
- FAQ
- Manual & Document
- Warranty




CPU SUPPORT

- CPU Support
- Memory / Device Support


The following table shows the supported CPUs for this motherboard [Click here to search other motherboards.](#)

| CPU | Validated since PCB | Validated since BIOS | Note |
|--|---------------------|----------------------------|------|
| Athlon 64 3000+ (CN),512K,rev.F2,62W,SocketAM2 | ALL | 0901 GO | |
| Athlon 64 3200+ (CN),512K,rev.F2,62W,SocketAM2 | ALL | 0901 GO | |
| Athlon 64 3200+ (DE),512K,rev.G,45W,SocketAM2 | ALL | 0901 GO | |
| Athlon 64 3500+ (CN),512K,rev.F2,35W,SocketAM2 | ALL | 0901 GO | |
| Athlon 64 3500+ (CN),512K,rev.F2,62W,SocketAM2 | ALL | 0901 GO | |


| CPU | Validated since PCB | Validated since BIOS | Note |
|---|---------------------|---|------|
| Athlon 64 3500+ (CW),512K,rev.F2,62W,SocketAM2 | ALL | 0901  | |
| Athlon 64 3500+ (DE),512K,rev.G,45W,SocketAM2 | ALL | 0901  | |
| Athlon 64 3500+ (DH),512K,rev.F3,62W,SocketAM2 | ALL | 0901  | |
| Athlon 64 3800+ (CN),512K,rev.F2,62W,SocketAM2 | ALL | 0901  | |
| Athlon 64 3800+ (CW),512K,rev.F2,62W,SocketAM2 | ALL | 0901  | |
| Athlon 64 3800+ (DE),512K,rev.G,45W,SocketAM2 | ALL | 0901  | |
| Athlon 64 3800+ (DH),512K,rev.F3,62W,SocketAM2 | ALL | 0901  | |
| Athlon 64 4000+ (CW),512K,rev.F2,59W,SocketAM2 | ALL | 0901  | |
| Athlon 64 4000+ (DH),512K,rev.F3,62W,SocketAM2 | ALL | 0901  | |
| Athlon 64 4850+ (DO),1M,rev.G2,45W,SocketAM2 | ALL | 0901  | |
| Athlon 64 FX-62 (CS),1MBx2,rev.F2,125W,SocketAM2 | ALL | 0901  | |
| Athlon 64 LE-1600+ (DH),1M,rev.F3,45W,SocketAM2 | ALL | 0901  | |
| Athlon 64 LE-1620+ (DH),1M,rev.F3,45W,SocketAM2 | ALL | 0901  | |
| Athlon 64 LE-1640+ (DH),1M,rev.F3,45W,SocketAM2 | ALL | 0901  | |
| Athlon 64 LE-1640+ (DP),512K,rev.G2,45W,SocketAM2 | ALL | 0901  | |
| Athlon 64 LE-1660+ (DP),512K,rev.G2,45W,SocketAM2 | ALL | 0901  | |
| Athlon 64 X2 3600+ (CU),512K,65W,rev.F2,SocketAM2 | ALL | 0901  | |


| CPU | Validated since PCB | Validated since BIOS | Note |
|---|---------------------|---|------|
| Athlon 64 X2 3600+ (DD),1MB,65W,rev.G,SocketAM2 | ALL | 0901  | |
| Athlon 64 X2 3800+ (CS),512Kx2,65W,rev.F2,SocketAM2 | ALL | 0901  | |
| Athlon 64 X2 3800+ (CU),512Kx2,35W,rev.F2,SocketAM2 | ALL | 0901  | |
| Athlon 64 X2 3800+ (CU),512Kx2,65W,rev.F2,SocketAM2 | ALL | 0901  | |
| Athlon 64 X2 3800+ (CU),512Kx2,rev.F2,89W,SocketAM2 | ALL | 0901  | |
| Athlon 64 X2 3800+ (CZ),512Kx2,65W,rev.F3,SocketAM2 | ALL | 0901  | |
| Athlon 64 X2 4000+ (CS),1MBx2,rev.F2,65W,SocketAM2 | ALL | 0901  | |
| Athlon 64 X2 4000+ (CS),1MBx2,rev.F2,89W,SocketAM2 | ALL | 0901  | |
| Athlon 64 X2 4000+ (DD),1MB,rev.G,65W,SocketAM2 | ALL | 0901  | |
| Athlon 64 X2 4200+ (CU),512Kx2,rev.F2,65W,SocketAM2 | ALL | 0901  | |
| Athlon 64 X2 4200+ (CU),512Kx2,rev.F2,89W,SocketAM2 | ALL | 0901  | |
| Athlon 64 X2 4200+ (DD),512Kx2,rev.G1,65W,SocketAM2 | ALL | 0901  | |
| Athlon 64 X2 4200+ (DO),512Kx2,rev.G2,65W,SocketAM2 | ALL | 0901  | |
| Athlon 64 X2 4400+ (CS),1MBx2,65W,rev.F2,SocketAM2 | ALL | 0901  | |
| Athlon 64 X2 4400+ (CS),1MBx2,rev.F2,89W,SocketAM2 | ALL | 0901  | |
| Athlon 64 X2 4400+ (DD),1MB,rev.G,65W,SocketAM2 | ALL | 0901  | |
| Athlon 64 X2 4400+ (DO),1MB,rev.G2,65W,SocketAM2 | ALL | 0901  | |


| CPU | Validated since PCB | Validated since BIOS | Note |
|--|---------------------|---|------|
| Athlon 64 X2 4400+ (DU),1MB,rev.G2,65W,SocketAM2,ADO44001AA5DU | ALL | 0901  | |
| Athlon 64 X2 4600+ (CU),512Kx2,rev.F2,65W,SocketAM2 | ALL | 0901  | |
| Athlon 64 X2 4600+ (CU),512Kx2,rev.F2,89W,SocketAM2 | ALL | 0901  | |
| Athlon 64 X2 4600+ (CZ),1MB,rev.F3,65W,SocketAM2 | ALL | 0901  | |
| Athlon 64 X2 4600+ (DO),1M,rev.G2,65W,SocketAM2 | ALL | 0901  | |
| Athlon 64 X2 4800+ (CS),1MBx2,rev.F2,65W,SocketAM2 | ALL | 0901  | |
| Athlon 64 X2 4800+ (CS),1MBx2,rev.F2,89W,SocketAM2 | ALL | 0901  | |
| Athlon 64 X2 4800+ (DD),1MB,rev.G,65W,SocketAM2 | ALL | 0901  | |
| Athlon 64 X2 4800+ (DO),1MB,rev.G2,65W,SocketAM2 | ALL | 0901  | |
| Athlon 64 X2 5000+ (CS),1MB,rev.F2,89W,SocketAM2 | ALL | 0901  | |
| Athlon 64 X2 5000+ (CU),512Kx2,rev.F2,89W,SocketAM2 | ALL | 0901  | |
| Athlon 64 X2 5000+ (CZ),1MB,rev.F3,65W,SocketAM2 | ALL | 0901  | |
| Athlon 64 X2 5000+ (CZ),1MB,rev.F3,89W,SocketAM2 | ALL | 0901  | |
| Athlon 64 X2 5000+ (DD),1MB,rev.G,65W,SocketAM2 | ALL | 0901  | |
| Athlon 64 X2 5000+ (DO),1MB,rev.G2,65W,SocketAM2 | ALL | 0901  | |
| Athlon 64 X2 5000+ (DS),1MB,rev.G2,65W,SocketAM2 | ALL | 0901  | |
| Athlon 64 X2 5200+ (CS),1MBx2,rev.F2,89W,SocketAM2 | ALL | 0901  | |

| CPU | Validated since PCB | Validated since BIOS | Note |
|---|---------------------|---|------|
| Athlon 64 X2 5200+ (CZ),2MB,rev.F3,65W,SocketAM2 | ALL | 0901  | |
| Athlon 64 X2 5200+ (CZ),2MB,rev.F3,89W,SocketAM2 | ALL | 0901  | |
| Athlon 64 X2 5200+ (DD),1MB,rev.G,65W,SocketAM2 | ALL | 0901  | |
| Athlon 64 X2 5200+ (DO),1MB,rev.G2,65W,SocketAM2 | ALL | 0901  | |
| Athlon 64 X2 5400+ (CZ),1M,rev.F3,89W,SocketAM2 | ALL | 0901  | |
| Athlon 64 X2 5400+ (DO),1M,rev.G2,65W,SocketAM2 | ALL | 0901  | |
| Athlon 64 X2 5400+ (DS),1M,rev.G2,65W,SocketAM2 | ALL | 0901  | |
| Athlon 64 X2 5600+ (CZ),2MB,rev.F3,89W,SocketAM2 | ALL | 0901  | |
| Athlon 64 X2 5600+ (DO),1MB,rev.G2,65W,SocketAM2 | ALL | 0901  | |
| Athlon 64 X2 5600+ (DO),2MB,rev.G2,89W,SocketAM2 | ALL | 0901  | |
| Athlon 64 X2 5800+ (DO),2MB,rev.G2,SocketAM2 | ALL | 0901  | |
| Athlon 64 X2 6000+ (CZ),2MB,rev.F3,125W,SocketAM2 | ALL | 0901  | |
| Athlon 64 X2 6000+ (CZ),2MB,rev.F3,89W,SocketAM2 | ALL | 0901  | |
| Athlon 64 X2 6000+ (DO),1MB,rev.G2,89W,SocketAM2 | ALL | 0901  | |
| Athlon 64 X2 6400+ (CZ),2MB,rev.F3,125W,SocketAM2 | ALL | 0901  | |
| Athlon 64 X2 6500+ ,2.3GHz,1MB,rev.B3,AD6500WCJ2BGH,95W,SocketAM2 | ALL | 0901  | |
| Athlon IIX2 215(ADX215OCK22GQ),2.7GHz,512KB,rev.C2,65W,SocketAM3 | ALL | 1704  | |



| CPU | Validated since PCB | Validated since BIOS | Note |
|---|---------------------|---|------|
| Athlon IIX2 225(ADX225OCK22GM),2.9GHz,512KB,rev.C3,65W,SocketAM3 | ALL | 3702  | |
| Athlon IIX2 235e(AD235EHDK23GQ),2.7GHz,1MB,rev.C2,45W,SocketAM3 | ALL | 1702  | |
| Athlon IIX2 240(ADX240OCK23GQ),2.8GHz,1MB,rev.C2,65W,SocketAM3 | ALL | 1403  | |
| Athlon IIX2 240e(AD240EHDK23GM),2.8GHz,1MB,rev.C3,45W,SocketAM3 | ALL | 3402  | |
| Athlon IIX2 240e(AD240EHDK23GQ),2.8GHz,1MB,rev.C2,45W,SocketAM3 | ALL | 1702  | |
| Athlon IIX2 245(ADX245OCK23GM),2.9GHz,1MB,rev.C2,65W,SocketAM3 | ALL | 2708  | |
| Athlon IIX2 245(ADX245OCK23GQ),2.9GHz,1MB,rev.C2,65W,SocketAM3 | ALL | 1403  | |
| Athlon IIX2 245e(AD245EHDK23GM),2.9GHz,1MB,rev.C3,45W,SocketAM3 | ALL | 3402  | |
| Athlon IIX2 250(ADX250OCK23GM),3.0GHz,1MB,rev.C3,65W,SocketAM3 | ALL | 2708  | |
| Athlon IIX2 250(ADX250OCK23GQ),3.0GHz,1MB,rev.C2,65W,SocketAM3 | ALL | 1403  | |
| Athlon IIX2 250e(AD250EHDK23GM),3.0GHz,1MB,rev.C3,45W,SocketAM3 | ALL | 3402  | |
| Athlon IIX2 255(ADX255OCK23GM),3.1GHz,512KB,rev.C3,65W,SocketAM3 | ALL | 2708  | |
| Athlon IIX2 255(ADX255OCK23GQ),3.1GHz,1MB,rev.C2,65W,SocketAM3 | ALL | 1704  | |
| Athlon IIX2 260(ADX260OCK23GM),3.2GHz,1MB,rev.C3,65W,SocketAM3 | ALL | 3402  | |
| Athlon IIX2 265(ADX265OCK23GM),3.3GHz,1MB,rev.C3,65W,SocketAM3 | ALL | 3702  | |
| Athlon IIX2 270(ADX270OCK23GM),3.4GHz,1MB,rev.C3,65W,SocketAM3 | ALL | 3702  | |
| Athlon IIX3 400e(AD400EHDK32GI),2.2GHz,512KB,rev.C2,45W,SocketAM3 | ALL | 1303  | |

| CPU | Validated since PCB | Validated since BIOS | Note |
|---|---------------------|---|------|
| Athlon IIX3 405e(AD405EHDK32GI),2.3GHz,512KB,rev.C2,45W,SocketAM3 | ALL | 1202  | |
| Athlon IIX3 405e(AD405EHDK32GM),2.3GHz,512KB,rev.C3,45W,SocketAM3 | ALL | 2708  | |
| Athlon IIX3 420e(AD420EHDK32GM),2.6GHz,512KB,rev.C3,45W,SocketAM3 | ALL | 3702  | |
| Athlon IIX3 425(ADX425WFK32GI),2.7GHz,512KB,rev.C2,95W,SocketAM3 | ALL | 1702  | |
| Athlon IIX3 435(ADX435WFK32GI),2.9GHz,512KB,rev.C2,95W,SocketAM3 | ALL | 1702  | |
| Athlon IIX3 435(ADX435WFK32GM),2.9GHz,512KB,rev.C3,95W,SocketAM3 | ALL | 2502  | |
| Athlon IIX3 440(ADX440WFK32GI),3.0GHz,512KB,rev.C2,95W,SocketAM3 | ALL | 2101  | |
| Athlon IIX3 440(ADX440WFK32GM),3.0GHz,512KB,rev.C3,95W,SocketAM3 | ALL | 2502  | |
| Athlon IIX3 445(ADX445WFK32GM),3.1GHz,512KB,rev.C3,95W,SocketAM3 | ALL | 2502  | |
| Athlon IIX3 450(ADX450WFK32GM),3.2GHz,512KB,rev.C3,95W,SocketAM3 | ALL | 3702  | |
| Athlon IIX3 455(ADX455WFK32GM),3.3GHz,512KB,rev.C3,95W,SocketAM3 | ALL | 3702  | |
| Athlon IIX4 600e(AD600EHDK42GI),2.2GHz,512KB,rev.C2,45W,SocketAM3 | ALL | 1202  | |
| Athlon IIX4 605e(AD605EHDK42GI),2.3GHz,512KB,rev.C2,45W,SocketAM3 | ALL | 1202  | |
| Athlon IIX4 605e(AD605EHDK42GM),2.3GHz,512KB,rev.C3,45W,SocketAM3 | ALL | 2708  | |
| Athlon IIX4 610e(AD610EHDK42GM),2.4GHz,512KB,rev.C3,45W,SocketAM3 | ALL | 3402  | |
| Athlon IIX4 615e(AD615EHDK42GM),2.5GHz,512KB,rev.C3,45W,SocketAM3 | ALL | 3702  | |
| Athlon IIX4 620(ADX620WFK42GI),2.6GHz,512KB,rev.C2,95W,SocketAM3 | ALL | 1702  | |


| CPU | Validated since PCB | Validated since BIOS | Note |
|--|---------------------|---|------|
| Athlon IIX4 630(ADX630WFK42GI),2.8GHz,512KB,rev.C3,95W,SocketAM3 | ALL | 1702  | |
| Athlon IIX4 630(ADX630WFK42GM),2.8GHz,512KB,rev.C3,95W,SocketAM3 | ALL | 2502  | |
| Athlon IIX4 635(ADX635WFK42GI),2.9GHz,512KB,rev.C2,95W,SocketAM3 | ALL | 2101  | |
| Athlon IIX4 635(ADX635WFK42GM),2.9GHz,512KB,rev.C3,95W,SocketAM3 | ALL | 2502  | |
| Athlon IIX4 640(ADX640WFK42GM),3.0GHz,512KB,rev.C3,95W,SocketAM3 | ALL | 2502  | |
| Athlon IIX4 645(ADX645WFK42GM),3.1GHz,512KB,rev.C3,95W,SocketAM3 | ALL | 3702  | |
| Athlon IIX4 650(ADX650WFK42GM),3.2GHz,512KB,rev.C3,95W,SocketAM3 | ALL | 3702  | |
| Athlon X2 4050e (DO),1M,rev.G2,45W,SocketAM2 | ALL | 0901  | |
| Athlon X2 4450e (DO),1M,rev.G2,45W,SocketAM2 | ALL | 0901  | |
| Athlon X2 4850e (DO),1M,rev.G2,45W,SocketAM2 | ALL | 0901  | |
| Athlon X2 5000+ (DU),1MB,rev.G2,65W,SocketAM2 | ALL | 0901  | |
| Athlon X2 5000+(GI),2.2GHz,1MB,rev.C2,65W,AD5000ODJ22GI,SocketAM2+ | ALL | 2101  | |
| Athlon X2 5000+(GI),2.2GHz,1MB,rev.C2,65W,AD5000OGJ22GI,SocketAM2+ | ALL | 2405  | |
| Athlon X2 5050e (DO),1MB,rev.G2,45W,ADH5050IAA5DO,SocketAM2 | ALL | 0901  | |
| Athlon X2 5200+(GM),2.3GHz,1MB,rev.C3,65W,AD5200OCK22GM,SocketAM3 | ALL | 3702  | |
| Athlon X2 7450+ ,2.4GHz,2MB,rev.B3,AD7450WCJ2BGH,95W,SocketAM2+ | ALL | 0901  | |
| Athlon X2 7550+ ,2.5GHz,2MB,rev.B3,AD7550WCJ2BGH,95W,SocketAM2+ | ALL | 0901  | |



| CPU | Validated since PCB | Validated since BIOS | Note |
|--|---------------------|---|------|
| Athlon X2 7750+ ,2.7GHz,2MB,rev.B3,AD7750WCJ2BGH,95W,SocketAM2+ | ALL | 1102  | |
| Athlon X2 7750+ ,2.7GHz,2MB,rev.B3,AD775ZWCJ2BGH,95W,SocketAM2+ | ALL | 0901  | |
| Athlon X2 7850+ ,2.8GHz,2MB,rev.B3,AD785ZWCJ2BGH,95W,SocketAM2+ | ALL | 1102  | |
| Athlon X2 BE-2300 (DD),1M,45W,rev.G1,SocketAM2 | ALL | 0901  | |
| Athlon X2 BE-2300 (DO),1M,45W,rev.G2,SocketAM2 | ALL | 0901  | |
| Athlon X2 BE-2350 (DD),1M,45W,rev.G1,SocketAM2 | ALL | 0901  | |
| Athlon X2 BE-2350 (DO),1M,45W,rev.G2,SocketAM2 | ALL | 0901  | |
| Athlon X2 BE-2400 (DO),1M,45W,rev.G2,SocketAM2 | ALL | 0901  | |
| Phenom IIX2 545 (HDX545WFK2DGI),3.0GHz,80W,rev.C2,SocketAM3,Dual-Core | ALL | 1303  | |
| Phenom IIX2 545(HDX545WFK2DGM),3.0GHz,512KB,rev.C3,80W,SocketAM3 | ALL | 2206  | |
| Phenom IIX2 550 (HDZ550WFK2DGI),3.1GHz,80W,rev.C2,SocketAM3,Dual-Core | ALL | 1303  | |
| Phenom IIX2 550(HDX550WFK2DGM),3.1GHz,512KB,rev.C3,80W,SocketAM3 | ALL | 2206  | |
| Phenom IIX2 555(HDZ555WFK2DGM),3.2GHz,512KB,rev.C3,80W,SocketAM3 | ALL | 2206  | |
| Phenom IIX2 560(HDZ560WFK2DGM),3.3GHz,512KB,rev.C3,80W,SocketAM3 | ALL | 3702  | |
| Phenom IIX2 565(HDZ565WFK2DGM),3.4GHz,512KB,rev.C3,80W,SocketAM3 | ALL | 3702  | |
| Phenom IIX2 570(HDZ570WFK2DGM),3.5GHz,512KB,rev.C3,80W,SocketAM3 | ALL | 3702  | |
| Phenom IIX3 700e (HD700EOCK3DGI),2.4GHz,65W,rev.C2,SocketAM3,Triple-Core | ALL | 1303  | |

| CPU | Validated since PCB | Validated since BIOS | Note |
|--|---------------------|---|------|
| Phenom IIX3 705e (HD705EOCK3DGI),2.5GHz,65W,rev.C2,SocketAM3,Triple-Core | ALL | 1303  | |
| Phenom IIX3 710 (HDX710WFK3DGI),2.6GHz,95W,rev.C2,SocketAM3,Triple-Core | ALL | 0901  | |
| Phenom IIX3 715 (HDZ715WCJ3DGI),2.8GHz,95W,rev.C2,SocketAM2+,Triple-Core | ALL | 1403  | |
| Phenom IIX3 720 (HDX720WFK3DGI),2.8GHz,95W,rev.C2,SocketAM3,Triple-Core | ALL | 1403  | |
| Phenom IIX3 720 (HDZ720WFK3DGI),2.8GHz,95W,rev.C2,SocketAM3,Triple-Core | ALL | 0901  | |
| Phenom IIX3 740 (HDZ740WFK3DGI),3.0GHz,95W,rev.C2,SocketAM3,Triple-Core | ALL | 1403  | |
| Phenom IIX4 805 (HDX805WFK4FGI),2.5GHz,95W,rev.C2,SocketAM3,Quad-Core | ALL | 0901  | |
| Phenom IIX4 810 (HDX810WFK4FGI),2.6GHz,95W,rev.C2,SocketAM3,Quad-Core | ALL | 0901  | |
| Phenom IIX4 820 (HDX820WFK4FGI),2.8GHz,95W,rev.C2,SocketAM3,Quad-Core | ALL | 1403  | |
| Phenom IIX4 840 (HDX840WFK42GM),3.2GHz,95W,rev.C3,SocketAM3,Quad-Core | ALL | 3702  | |
| Phenom IIX4 900e (HD900EOCK4DGI),2.4GHz,65W,rev.C2,SocketAM3,Quad-Core | ALL | 1303  | |
| Phenom IIX4 905e (HD905EOCK4DGI),2.5GHz,65W,rev.C2,SocketAM3,Quad-Core | ALL | 1303  | |
| Phenom IIX4 905e (HD905EOCK4DGM),2.5GHz,65W,rev.C3,SocketAM3,Quad-Core | ALL | 3702  | |
| Phenom IIX4 910 (HDX910WFK4DGI),2.6GHz,95W,rev.C2,SocketAM3,Quad-Core | ALL | 0901  | |
| Phenom IIX4 910E(HD910EOCK4DGM),2.6GHz,65W,rev.C3,SocketAM3,Quad-Core | ALL | 2206  | |
| Phenom IIX4 920 (HDX920XCJ4DGI),2.8GHz,125W,rev.C2,SocketAM2+,Quad-Core | ALL | 0901  | |
| Phenom IIX4 925 (HDX925WFK4DGI),2.8GHz,95W,rev.C2,SocketAM3,Quad-Core | ALL | 0901  | |

| CPU | Validated since PCB | Validated since BIOS | Note |
|--|---------------------|---|------|
| Phenom IIX4 925 (HDX925WFK4DGM),2.8GHz,95W,rev.C3,SocketAM3,Quad-Core | ALL | 2206  | |
| Phenom IIX4 940 (HDZ940XCJ4DGI),3.0GHz,125W,rev.C2,SocketAM2+,Quad-Core | ALL | 0901  | |
| Phenom IIX4 945 (HDX945FBK4DGI),3.0GHz,125W,rev.C2,SocketAM3,Quad-Core | ALL | 1202  | |
| Phenom IIX4 945 (HDX945WFK4DGI),3.0GHz,2048KB,95W,rev.C2,SocketAM3,Quad-Core | ALL | 1403  | |
| Phenom IIX4 945 (HDX945WFK4DGM),3.0GHz,2048KB,95W,rev.C3,SocketAM3,Quad-Core | ALL | 2206  | |
| Phenom IIX4 955 (HDX955FBK4DGI),3.2GHz,125W,rev.C2,SocketAM3,Quad-Core | ALL | 1702  | |
| Phenom IIX4 955 (HDX955FBK4DGM),3.2GHz,125W,rev.C3,SocketAM3,Quad-Core | ALL | 2206  | |
| Phenom IIX4 955 (HDX955WFK4DGM),3.2GHz,95W,rev.C3,SocketAM3,Quad-Core | ALL | 3402  | |
| Phenom IIX4 955 (HDZ955FBK4DGI),3.2GHz,125W,rev.C2,SocketAM3,Quad-Core | ALL | 1202  | |
| Phenom IIX4 955 (HDZ955FBK4DGM),3.2GHz,125W,rev.C3,SocketAM3,Quad-Core | ALL | 2206  | |
| Phenom IIX4 960 (HDX960WFK4DGM),3.3GHz,95W,rev.C3,SocketAM3,Quad-Core | ALL | 3702  | |
| Phenom IIX4 965 (HDZ965FBK4DGI),3.4GHz,140W,rev.C2,SocketAM3,Quad-Core | ALL | 1702  | |
| Phenom IIX4 965 (HDZ965FBK4DGM),3.4GHz,125W,rev.C3,SocketAM3,Quad-Core | ALL | 2206  | |
| Phenom IIX4 970 (HDZ970FBK4DGM),3.5GHz,125W,rev.C3,SocketAM3,Quad-Core | ALL | 3702  | |
| Phenom IIX4 975 (HDZ975FBK4DGM),3.6GHz,125W,rev.C3,SocketAM3,Quad-Core | ALL | 3702  | |
| Phenom IIX4 980 (HDZ980FBK4DGM),3.7GHz,125W,rev.C3,SocketAM3,Quad-Core | ALL | 3702  | |
| Phenom IIX6 1035T(HDT35TWFK6DGR),2.6GHz,95W,rev.E0,SocketAM3,6-Core | ALL | 3402  | |

| CPU | Validated since PCB | Validated since BIOS | Note |
|--|---------------------|---|------|
| Phenom IIX6 1045T(HDT45TWFK6DGR),2.7GHz,95W,rev.E0,SocketAM3,6-Core | ALL | 3702  | |
| Phenom IIX6 1055T(HDT55TFBK6DGR),2.8GHz,125W,rev.E0,SocketAM3,6-Core | ALL | 3402  | |
| Phenom IIX6 1055T(HDT55TWFK6DGR),2.8GHz,125W,rev.E0,SocketAM3,6-Core | ALL | 3402  | |
| Phenom IIX6 1065T(HDT65TWFK6DGR),2.9GHz,95W,rev.E0,SocketAM3,6-Core | ALL | 3702  | |
| Phenom IIX6 1075T(HDT75TFBK6DGR),3.0GHz,125W,rev.E0,SocketAM3,6-Core | ALL | 3702  | |
| Phenom IIX6 1090T(HDT90ZFBK6DGR),3.2GHz,125W,rev.E0,SocketAM3,6-Core | ALL | 3402  | |
| Phenom IIX6 1100T(HDE00ZFBK6DGR),3.3GHz,125W,rev.E0,SocketAM3,6-Core | ALL | 3702  | |
| Phenom X3 8250e (HD8250ODJ3BGH),1.9GHz,rev.B3,65W,SocketAM2+,Triple-Core | ALL | 0901  | |
| Phenom X3 8450 (HD8450WCJ3BGH),2.1GHz,rev.B3,95W,SocketAM2+,Triple-Core | ALL | 0901  | |
| Phenom X3 8450e (HD8450ODJ3BGH),2.1GHz,rev.B3,65W,SocketAM2+,Triple-Core | ALL | 0901  | |
| Phenom X3 8550 (HD8550WCJ3BGH),2.2GHz,rev.B3,95W,SocketAM2+,Triple-Core | ALL | 0901  | |
| Phenom X3 8600(HD8600WCJ3BGD),2.3GHz,95W,rev.B2,SocketAM2+,Triple-Core | ALL | 0901  | |
| Phenom X3 8600(HD860BWCJ3BGH),2.3GHz,95W,rev.B3,SocketAM2+,Triple-Core | ALL | 0901  | |
| Phenom X3 8650 (HD8650WCJ3BGH),2.3GHz,95W,rev.B3,SocketAM2+,Triple-Core | ALL | 0901  | |
| Phenom X3 8750 (HD8750WCJ3BGH),2.4GHz,rev.B3,95W,SocketAM2+,Triple-Core | ALL | 0901  | |
| Phenom X3 8750 (HD875ZWCJ3BGH),2.4GHz,rev.B3,95W,SocketAM2+,Triple-Core | ALL | 0901  | |
| Phenom X3 8850 (HD8850WCJ3BGH),2.4GHz,rev.B3,95W,SocketAM2+,Triple-Core | ALL | 0901  | |

| CPU | Validated since PCB | Validated since BIOS | Note |
|--|---------------------|---|------|
| Phenom X4 9100e (HD9100BJ4BGD),1.8GHz,65W,rev.B2,SocketAM2+,Quad-Core | ALL | 0901  | |
| Phenom X4 9150 (HD9150ODJ4BGH),1.8GHz,65W,rev.B3,SocketAM2+,Quad-Core | ALL | 0901  | |
| Phenom X4 9150e (HD9150ODGHBOX),1.8GHz,65W,rev.B3,SocketAM2+,Quad-Core | ALL | 0901  | |
| Phenom X4 9350 (HD9350ODJ4BGH),2.0GHz,65W,rev.B3,SocketAM2+,Quad-Core | ALL | 0901  | |
| Phenom X4 9350e (HD9350ODGHBOX),2.0GHz,65W,rev.B3,SocketAM2+,Quad-Core | ALL | 0901  | |
| Phenom X4 9450e (HD9450ODJ4BGH),2.1GHz,65W,rev.B3,SocketAM2+,Quad-Core | ALL | 0901  | |
| Phenom X4 9500 (HD9500WCJ4BGD),2.2GHz,rev.B2,95W,SocketAM2+,Quad-Core | ALL | 0901  | |
| Phenom X4 9550 (HD9550WCJ4BGH),2.2GHz,rev.B3,95W,SocketAM2+,Quad-Core | ALL | 0901  | |
| Phenom X4 9600 (HD9600WCJ4BGD),2.3GHz,95W,rev.B2,SocketAM2+,Quad-Core | ALL | 0901  | |
| Phenom X4 9600 (HD960ZWCJ4BGD),2.3GHz,95W,rev.B2,SocketAM2+,Quad-Core | ALL | 0901  | |
| Phenom X4 9650 (HD9650WCJ4BGH),2.3GHz,95W,rev.B3,SocketAM2+,Quad-Core | ALL | 0901  | |
| Phenom X4 9750 (HD9750WCJ4BGH),2.4GHz,95W,rev.B3,SocketAM2+,Quad-Core | ALL | 0901  | |
| Phenom X4 9750 (HD9750XAJ4BGH),2.4GHz,125W,rev.B3,SocketAM2+,Quad-Core | ALL | 0901  | |
| Phenom X4 9850 (HD9850WCJ4BGH,rev.B3,SocketAM2+,Quad-Core | ALL | 0901  | |
| Phenom X4 9850 (HD9850XAJ4BGH),2.5GHz,125W,rev.B3,SocketAM2+,Quad-Core | ALL | 0901  | |
| Phenom X4 9850 (HD985ZAJ4BGH),2.5GHz,125W,rev.B3,SocketAM2+,Quad-Core | ALL | 0901  | |
| Phenom X4 9950 (HD995ZFAJ4BGH),2.6GHz,140W,rev.B3,SocketAM2+,Quad-Core | ALL | 0901  | |

| CPU | Validated since PCB | Validated since BIOS | Note |
|--|---------------------|---|------|
| Phenom X4 9950 (HD995ZXAJ4BGH),2.6GHz,125W,rev.B3,SocketAM2+,Quad-Core | ALL | 0901  | |
| Sempron 140,SDX140HBK13GQ,2.7GHz,1024K,rev.C2,45W,SocketAM3 | ALL | 1704  | |
| Sempron 145,SDX145HBK13GM,2.8GHz,1024K,rev.C3,45W,SocketAM3 | ALL | 3402  | |
| Sempron 2100+ (DD),512K,rev.G1,65W,SocketAM2 | ALL | 0901  | |
| Sempron 2100+ (DO),512K,rev.G2,65W,SocketAM2 | ALL | 0901  | |
| Sempron 2300+ (DO),512K,rev.G2,SocketAM2 | ALL | 0901  | |
| Sempron 2800+ (CN),128K,rev.F2,62W,SocketAM2 | ALL | 0901  | |
| Sempron 3000+ (CN),256K,rev.F2,35W,SocketAM2 | ALL | 0901  | |
| Sempron 3000+ (CN),256K,rev.F2,62W,SocketAM2 | ALL | 0901  | |
| Sempron 3200+ (CN),128K,rev.F2,35W,SocketAM2 | ALL | 0901  | |
| Sempron 3200+ (CN),128K,rev.F2,62W,SocketAM2 | ALL | 0901  | |
| Sempron 3200+ (CW),256K,rev.F2,62W,SocketAM2 | ALL | 0901  | |
| Sempron 3400+ (CN),256K,rev.F2,35W,SocketAM2 | ALL | 0901  | |
| Sempron 3400+ (CN),256K,rev.F2,62W,SocketAM2 | ALL | 0901  | |
| Sempron 3400+ (CW),256K,rev.F2,62W,SocketAM2 | ALL | 0901  | |
| Sempron 3500+ (CN),128K,rev.F2,62W,SocketAM2 | ALL | 0901  | |
| Sempron 3600+ (CN),256K,rev.F2,62W,SocketAM2 | ALL | 0901  | |

| CPU | Validated since PCB | Validated since BIOS | Note |
|---|---------------------|---|------|
| Sempron 3600+ (CW),256K,rev.F2,62W,SocketAM2 | ALL | 0901  | |
| Sempron 3800+ (CN),256K,rev.F2,62W,SocketAM2 | ALL | 0901  | |
| Sempron LE-1100 (DE),256K,rev.G1,45W,SocketAM2 | ALL | 0901  | |
| Sempron LE-1150 (DE),256K,rev.G1,45W,SocketAM2 | ALL | 0901  | |
| Sempron LE-1200 (DE),512K,rev.G2,45W,SocketAM2 | ALL | 0901  | |
| Sempron LE-1200 (DP),512K,rev.G2,45W,SocketAM2 | ALL | 0901  | |
| Sempron LE-1250 (DP),512K,rev.G2,45W,SocketAM2 | ALL | 0901  | |
| Sempron LE-1300 (DP),512K,rev.G2,45W,SocketAM2 | ALL | 0901  | |
| Sempron X2 180,SDX180HDK22GM,2.4GHz,512Kx2,rev.C3,45W,SocketAM3 | ALL | 3702  | |
| Sempron X2 190,SDX190HDK22GM,2.5GHz,512Kx2,rev.C3,45W,SocketAM3 | ALL | 4101  | |

NEED HELP?

 [Find service locations](#)

- Products certified by the Federal Communications Commission and Industry Canada will be distributed in the United States and Canada. Please visit the ASUS USA and ASUS Canada websites for information about locally available products.
- All specifications are subject to change without notice. Please check with your supplier for exact offers. Products may not be available in all markets.
- Specifications and features vary by model, and all images are illustrative. Please refer to specification pages for full details.
- PCB color and bundled software versions are subject to change without notice.

- Brand and product names mentioned are trademarks of their respective companies.
- The terms HDMI, HDMI High-Definition Multimedia Interface, HDMI Trade dress and the HDMI Logos are trademarks or registered trademarks of HDMI Licensing Administrator, Inc.

| Shop and Learn | | | About Us | Support | Sustainability |
|----------------------------|-----------------------------------|-----------------------------|----------------------|----------------------|----------------|
| Laptops | Tower PCs | WiFi 7 | About ASUS | ASUS Premium Care | ESG |
| For Home | Mini PCs | WiFi Routers | Careers | ASUS Repair Services | |
| For Work | NUCs | Whole Home Mesh WiFi System | News | ASUS Support Videos | |
| For Creators | Workstations | AIoT & Industrial Solution | Internal Audit | Commercial Support | |
| For Students | Motherboards / Components | Smart Home | Press Room | Contact Us | |
| For Gaming | Motherboards | Accessories | Where to Buy | Deal Registration | |
| Accessories | Gaming Case | Keyboards | ASUSTOR Inc. | MyASUS | |
| Mobile / Handhelds | Cooling | Mice and Mouse Pads | Learn More | Product Registration | |
| Phones | Graphics Cards | Headsets and Audio | AI PC | Rebate Center | |
| Wearable | Power Supply Units | Streaming Kit | Partner Portal | Recalls | |
| Accessories | Sound Cards | Apparel, Bags & Gear | ASUS PC DIY | Security Advisory | |
| Displays / Desktops | Optical Drives | Adapters and Chargers | Become a Reseller | Warranty Extension | |
| Monitors | Data Storage | Docks, Dongles and Cable | Edge Up | | |
| Projectors | Networking / IoT / Servers | | Insider's Edge | | |
| All-in-One PCs | | | Powered by ASUS | | |
| Gaming Desktops | | | Rate Your Gear | | |
| | | | Accessibility Policy | | |
| | | | AVC Licensing Notice | | |
| | | | ASUS Blog | | |

Get the latest deals and more

 [Sign up](#)
