




COMPONENTS LOCATIONS



JUMPERS AND CONNECTORS SETTING



BANK LOCATION



A/B JUMPERS (SELECT A/B JUMPERS FOR RAM INSTALLATION)


A	B
1	3
*	*
*	*
*	*
*	*
*	*
*	*

SELECT A JUMPERS


USE DIP RAM ON BANK 0/1, AS LO-BANK.
AND RAJ MODULE ON BANK 2/3, AS HI-BANK.

411000
D-RAM
41256
D-RAM

BANK LOCATIONS




A/B JUMPERS (SELECT A/B JUMPERS FOR RAM INSTALLATION)



SELECT B JUMPERS
 USE DIP RAM ON BANK 0/1, AS LO-BANK.
OR RAMMODULE ON BANK 0/1, AS LO-BANK.


only




SOLUTIONS
TECHNOLOGY CORP.

TITLE
386SX


DATE 78.11.22 VERSION 1.0 SHEET 1 OF 7



SOLUTIONS TECHNOLOGY CORP.		
TITLE 386SX		
DATE 78.11.22	VERSION 1.0	SHEET 2 OF 7




SOLUTIONS TECHNOLOGY CORP.		
TITLE 386SX		
DATE 78.11.22	VERSION 1.0	SHEET 3 OF 7




SOLUTIONS
TECHNOLOGY CORP.

TITLE
386SX

DATE 78.11.22 VERSION 1.0 SHEET 4 OF 7






SOLUTIONS
TECHNOLOGY CORP.

TITLE 386SX

DATE 78.11.22 VERSION 1.0 SHEET 6 OF 7



SOLUTIONS
TECHNOLOGY CORP.

TITLE 386SX

DATE 78.11.22 VERSION 1.0 SHEET 7 OF 7