| ROG | ProArt | ASUS IoT | | Gaming | Business | Environment |

ASUS | Mobile / Handhelds | Laptops | Displays / Desktops | Motherboards / Components | Networking / IoT / Servers | Accessories | Support

P5B-V

Product Support For

P5B-V

Find Another Model >

By registering your device, you can easily manage your product warranty, get technical support and keep track of your repair status.
Upgrade Warranty: Here.
* Please note that the availability of the Premium Care product lines might differ by country.

Register Product

| CPU / Memory Support | Driver & Tools | FAQ | Manual & Document |

CPU SUPPORT

CPU Support   Memory / Device Support

The following table shows the supported CPUs for this motherboard Click here to search other motherboards.

CPU	Validated since PCB	Validated since BIOS	Note
Celeron 420(1.60GHz,800 FSB,L2 512KB,LGA775,revA1)	ALL	0903 GO	

CPU	Validated since PCB	Validated since BIOS	Note
Celeron 420(1.60GHz,800 FSB,L2 512KB,LGA775,revA1)	1.03G	0304 [GO]	
Celeron 430(1.80GHz,800 FSB,L2 512KB,LGA775,revA1)	ALL	0903 [GO]	
Celeron 430(1.80GHz,800 FSB,L2 512KB,LGA775,revA1)	1.03G	0304 [GO]	
Celeron 440(2.00GHz,800 FSB,L2 512KB,LGA775,revA1)	ALL	0903 [GO]	
Celeron 440(2.00GHz,800 FSB,L2 512KB,LGA775,revA1)	1.03G	0304 [GO]	
Celeron 450(2.2GHz,800 FSB,L2 512KB,LGA775,revA1)	ALL	1210 [GO]	
Celeron 450(2.2GHz,800 FSB,L2 512KB,LGA775,revA1)	1.03G	0304 [GO]	
Celeron D 325J (2.53 GHz, 533 FSB, LGA775)	ALL	0117 [GO]	
Celeron D 326(2.53 GHz, 533 FSB, LGA775)E0,EM64T	ALL	0117 [GO]	
Celeron D 326(2.53 GHz, 533 FSB, revG1, LGA775)	ALL	0117 [GO]	
Celeron D 330J (2.66 GHz, 533 FSB, LGA775)	ALL	0117 [GO]	
Celeron D 331(2.66 GHz, 533 FSB, LGA775)E0,EM64T	ALL	0117 [GO]	
Celeron D 331(2.66 GHz, 533 FSB, revG1, LGA775)	ALL	0117 [GO]	
Celeron D 335J (2.80 GHz, 533 FSB, LGA775)	ALL	0117 [GO]	

CPU	Validated since PCB	Validated since BIOS	Note
Celeron D 336 (2.80 GHz, 533 FSB, LGA775)E0,EM64T	ALL	0117 GO	
Celeron D 336 (2.80 GHz, 533 FSB, revG1, LGA775)	ALL	0117 GO	
Celeron D 340J (2.93 GHz, 533 FSB, LGA775)	ALL	0117 GO	
Celeron D 341 (2.93 GHz, 533 FSB, LGA775)E0,EM64T	ALL	0117 GO	
Celeron D 341 (2.93 GHz, 533 FSB, revG1, LGA775)	ALL	0117 GO	
Celeron D 345J (3.06 GHz, 533 FSB, LGA775)	ALL	0117 GO	
Celeron D 346 (3.06 GHz, 533 FSB, LGA775)E0,EM64T	ALL	0117 GO	
Celeron D 346 (3.06 GHz, 533 FSB, revG1, LGA775)	ALL	0117 GO	
Celeron D 347 (revD0,65nm,3.06GHz, 533 FSB, L2:512KB, LGA775)	ALL	0501 GO	
Celeron D 351 (3.2 GHz, 533 FSB, LGA775)E0,EM64T	ALL	0117 GO	
Celeron D 351 (3.2 GHz, 533 FSB, revG1, LGA775)	ALL	0117 GO	
Celeron D 352 (65nm,3.20 GHz, 533 FSB, L2:512KB, revD0, LGA775)	ALL	0117 GO	
Celeron D 352 (revC1,65nm,3.20 GHz, 533 FSB, L2:512KB, LGA775)	ALL	0117 GO	
Celeron D 355 (3.33 GHz, 533 FSB, L2:256KB, rev E0, LGA775)	ALL	0117 GO	

CPU	Validated since PCB	Validated since BIOS	Note
Celeron D 355 (3.33 GHz, 533 FSB, L2:256KB, revG1, LGA775)	ALL	0117 GO	
Celeron D 356 (65nm,3.33 GHz, 533 FSB, L2:512KB, revD0, LGA775)	ALL	0117 GO	
Celeron D 356 (revB1, 65nm,3.33 GHz, 533 FSB, L2:512KB, LGA775)	ALL	0117 GO	
Celeron D 356 (revC1,65nm,3.33 GHz, 533 FSB, L2:512KB, LGA775)	ALL	0117 GO	
Celeron D 360 (65nm,3.46 GHz, 533 FSB, L2:512KB, revD0, LGA775)	ALL	0117 GO	
Celeron D 365 (65nm,3.60 GHz, 533 FSB, L2:512KB, revD0, LGA775)	ALL	0117 GO	
Celeron Dual Core E1200(revM0,1.6GHz,800 FSB,L2:512K)	ALL	1205 GO	
Celeron Dual Core E1200(revM0,1.6GHz,800 FSB,L2:512K)	1.03G	0402 GO	
Celeron Dual Core E1300(revM0,1.8GHz,800 FSB,L2:512K)	1.03G	0402 GO	
Celeron Dual Core E1400 (revM0,2.0GHz, 800 FSB, L2: 512K)	1.03G	0402 GO	
Celeron Dual Core E1500(revM0,2.2GHz,800 FSB,L2: 512K)	ALL	1205 GO	
Celeron Dual Core E1600(revM0,2.4GHz,800 FSB,L2: 512K)	1.03G	0402 GO	
Core 2 Duo E4300 (1.8GHz,800FSB,L2:2MB,65W,rev.L2)	ALL	0602 GO	
Core 2 Duo E4300 (1.8GHz,800FSB,L2:2MB,65W,rev.L2)	1.03G	0202 GO	

CPU	Validated since PCB	Validated since BIOS	Note
Core 2 Duo E4400 (2.0GHz,800FSB,L2:2MB,65W,rev.L2)	ALL	0705 GO	
Core 2 Duo E4400 (2.0GHz,800FSB,L2:2MB,65W,rev.L2)	1.03G	0304 GO	
Core 2 Duo E4400 (2.0GHz,800FSB,L2:2MB,65W,rev.M0)	ALL	1201 GO	
Core 2 Duo E4400 (2.0GHz,800FSB,L2:2MB,65W,rev.M0)	1.03G	0304 GO	
Core 2 Duo E4500 (2.2GHz,800FSB,L2:2MB,65W,rev.M0)	ALL	1102 GO	
Core 2 Duo E4500 (2.2GHz,800FSB,L2:2MB,65W,rev.M0)	1.03G	0304 GO	
Core 2 Duo E4600 (2.4GHz,800FSB,L2:2MB,65W,rev.M0)	ALL	0804 GO	
Core 2 Duo E4600 (2.4GHz,800FSB,L2:2MB,65W,rev.M0)	1.03G	0304 GO	
Core 2 Duo E4700 (2.6GHz,800FSB,L2:2MB,revG0)	ALL	1205 GO	
Core 2 Duo E4700 (2.6GHz,800FSB,L2:2MB,revG0)	1.03G	0304 GO	
Core 2 Duo E6300 (1.86GHz,1066FSB,L2:2MB,rev.B2)	1.03G	0202 GO	
Core 2 Duo E6300 (1.86GHz,1066FSB,L2:2MB,rev.B2)	ALL	0117 GO	
Core 2 Duo E6300 (1.86GHz,1066FSB,L2:2MB,rev.L2)	ALL	0705 GO	
Core 2 Duo E6300 (1.86GHz,1066FSB,L2:2MB,rev.L2)	1.03G	0202 GO	

CPU	Validated since PCB	Validated since BIOS	Note
Core 2 Duo E6320 (1.86GHz,1066FSB,L2:4MB,rev.B2)	ALL	0903 GO	
Core 2 Duo E6320 (1.86GHz,1066FSB,L2:4MB,rev.B2)	1.03G	0202 GO	
Core 2 Duo E6400 (2.13GHz,1066FSB,L2:2MB,rev.B2)	1.03G	0202 GO	
Core 2 Duo E6400 (2.13GHz,1066FSB,L2:2MB,rev.B2)	ALL	0117 GO	
Core 2 Duo E6400 (2.13GHz,1066FSB,L2:2MB,rev.L2)	ALL	0705 GO	
Core 2 Duo E6400 (2.13GHz,1066FSB,L2:2MB,rev.L2)	1.03G	0202 GO	
Core 2 Duo E6420 (2.13GHz,1066FSB,L2:4MB,rev.B2)	1.03G	0202 GO	
Core 2 Duo E6420 (2.13GHz,1066FSB,L2:4MB,rev.B2)	ALL	0903 GO	
Core 2 Duo E6540 (2.33GHz,1333FSB,L2:4MB,rev.G0)	1.03G	0402 GO	
Core 2 Duo E6550 (2.33GHz,1333FSB,L2:4MB,rev.G0)	1.03G	0402 GO	
Core 2 Duo E6600 (2.40GHz,1066FSB,L2:4MB,rev.B2)	ALL	0117 GO	
Core 2 Duo E6600 (2.40GHz,1066FSB,L2:4MB,rev.B2)	1.03G	0202 GO	
Core 2 Duo E6700 (2.66GHz,1066FSB,L2:4MB,rev.B2)	ALL	0117 GO	
Core 2 Duo E6700 (2.66GHz,1066FSB,L2:4MB,rev.B2)	1.03G	0202 GO	

CPU	Validated since PCB	Validated since BIOS	Note
Core 2 Duo E6750 (2.66GHz,1333FSB,L2:4MB,rev.G0)	1.03G	0402 GO	
Core 2 Duo E6850 (3.00GHz,1333FSB,L2:4MB,rev.G0)	1.03G	0402 GO	
Core 2 Duo E7200(2.53GHz,1066FSB,L2:3MB,rev.M0)	1.03G	0402 GO	
Core 2 Duo E7300(2.66GHz,1066FSB,L2:3MB,rev.M0)	1.03G	0402 GO	
Core 2 Duo E7400(2.80GHz,1066FSB,L2:3MB,rev.R0)	1.03G	0402 GO	
Core 2 Duo E7500(2.93GHz,1066FSB,L2:3MB,rev.R0)	1.03G	0402 GO	
Core 2 Duo E7600(3.06GHz,1066FSB,L2:3MB,rev.R0)	1.03G	0402 GO	
Core 2 Duo E8190(2.66GHz,1333FSB,L2:6MB,rev.C0)	1.03G	0304 GO	
Core 2 Duo E8200 (2.66GHz,1333FSB,L2:6MB,rev.C0)	1.03G	0304 GO	
Core 2 Duo E8300 (2.83GHz,1333FSB,L2:6MB,rev.C0)	1.03G	0304 GO	
Core 2 Duo E8400 (3.00GHz,1333FSB,L2:6MB,65W,rev.E0)	1.03G	0402 GO	
Core 2 Duo E8400 (3.00GHz,1333FSB,L2:6MB,rev.C0)	1.03G	0304 GO	
Core 2 Duo E8500 (3.16GHz,1333FSB,L2:6MB,65W,rev.E0)	1.03G	0402 GO	
Core 2 Duo E8500 (3.16GHz,1333FSB,L2:6MB,rev.C0)	1.03G	0304 GO	

CPU	Validated since PCB	Validated since BIOS	Note
Core 2 Duo E8600 (3.33GHz,1333FSB,L2:6MB,65W,rev.E0)	1.03G	0402 GO	
Core 2 Duo E8600 (3.33GHz,1333FSB,L2:6MB,rev.C0)	1.03G	0304 GO	
Core 2 Extreme QX6700(revB3,2.66GHz,1066FSB,L2:2X4MB)	ALL	0407 GO	
Core 2 Extreme QX6700(revB3,2.66GHz,1066FSB,L2:2X4MB)	1.03G	0202 GO	
Core 2 Extreme QX6800 (rev.G0,2.93GHz,1066FSB,L2:2X4MB,4 cores)	ALL	1102 GO	
Core 2 Extreme QX6800 (rev.G0,2.93GHz,1066FSB,L2:2X4MB,4 cores)	1.03G	0202 GO	
Core 2 Extreme QX6800(revB3,2.93GHz,1066FSB,L2:2X4MB)	1.03G	0202 GO	
Core 2 Extreme QX6850(revG0,3.00GHz,1333FSB,L2:2X4MB)	1.03G	0304 GO	
Core 2 Extreme QX9650 (rev.C1,3.00GHz,1333FSB,L2:2X6MB,4 cores)	1.03G	0304 GO	
Core 2 Extreme QX9650(revC0,3.00GHz,1333FSB,L2:2X6MB)	1.03G	0304 GO	
Core 2 Extreme X6800(2.93GHz,1066FSB,L2:4MB,revB2)	1.03G	0202 GO	
Core 2 Extreme X6800(2.93GHz,1066FSB,L2:4MB,revB2)	ALL	0117 GO	
Core 2 Quad Q6400 (2.13GHz,1066FSB,L2:2X4MB,rev.B3,4 cores)	ALL	0108 GO	
Core 2 Quad Q6400 (2.13GHz,1066FSB,L2:2X4MB,rev.B3,4 cores)	1.03G	0202 GO	

CPU	Validated since PCB	Validated since BIOS	Note
Core 2 Quad Q6600 (2.40GHz,1066FSB,L2:2X4MB,rev.B3,4 cores)	ALL	0602 GO	
Core 2 Quad Q6600 (2.40GHz,1066FSB,L2:2X4MB,rev.B3,4 cores)	1.03G	0202 GO	
Core 2 Quad Q6600 (2.40GHz,1066FSB,L2:2X4MB,rev.G0,4 cores)	ALL	1102 GO	
Core 2 Quad Q6600 (2.40GHz,1066FSB,L2:2X4MB,rev.G0,4 cores)	1.03G	0202 GO	
Core 2 Quad Q6700 (2.66GHz,1066FSB,L2:2X4MB,rev.G0,4 cores)	ALL	1102 GO	
Core 2 Quad Q6700 (2.66GHz,1066FSB,L2:2X4MB,rev.G0,4 cores)	1.03G	0202 GO	
Core 2 Quad Q8200 (rev.M1,2.33GHz,1333FSB,L2:4MB,4 cores)	1.03G	0304 GO	
Core 2 Quad Q8200 (rev.R0,2.33GHz,1333FSB,L2:4MB,4 cores)	1.03G	0402 GO	
Core 2 Quad Q8300 (rev.R0,2.50GHz,1333FSB,L2:4MB,4 cores)	1.03G	0402 GO	
Core 2 Quad Q8400 (rev.R0,2.66GHz,1333FSB,L2:4MB,4 cores)	1.03G	0402 GO	
Core 2 Quad Q8400S (rev.R0,2.66GHz,1333FSB,L2:4MB,4 cores)	1.03G	0402 GO	
Core 2 Quad Q9300 (2.5GHz,1333FSB,L2:6MB,rev.M1,4 cores)	1.03G	0304 GO	
Core 2 Quad Q9400 (rev.R0,2.66GHz,1333FSB,L2:6MB)	1.03G	0402 GO	
Core 2 Quad Q9450 (2.66GHz,1333FSB,L2:12MB,rev.C1)	1.03G	0304 GO	

CPU	Validated since PCB	Validated since BIOS	Note
Core 2 Quad Q9550(2.83GHz,1333FSB,L2:12MB,rev.C1)	1.03G	0304 GO	
Core 2 Quad Q9550(rev.E0,2.83GHz,1333FSB,L2:12MB)	1.03G	0402 GO	
Core 2 Quad Q9650(rev.E0,3.00GHz,1333FSB,L2:12MB)	1.03G	0402 GO	
Dual Core Xeon 3040 (1.86GHz,1066FSB,L2:2MB,rev.B2)	1.03G	0202 GO	
Dual Core Xeon 3050 (2.13GHz,1066FSB,L2:2MB,rev.B2)	1.03G	0202 GO	
Dual Core Xeon 3060 (2.40GHz,1066FSB,L2:4MB,rev.B2)	1.03G	0202 GO	
Dual Core Xeon 3065 (2.33GHz,1333FSB,L2:4MB,G0)	1.03G	0202 GO	
Dual Core Xeon 3070 (2.66GHz,1066FSB,L2:4MB,rev.B2)	1.03G	0202 GO	
Dual Core Xeon 3075(2.66GHz,1333FSB,L2:4MB,G0)	1.03G	0202 GO	
Dual Core Xeon 3085(3.00GHz,1333FSB,L2:4MB,G0)	1.03G	0202 GO	
Dual-Core Xeon E3110(3.00GHz,1333FSB,L2:6MB,C0)	1.03G	0304 GO	
Dual-Core Xeon E3110(3.00GHz,1333FSB,L2:6MB,E0)	1.03G	0402 GO	
Dual-Core Xeon E3120(3.16GHz,1333FSB,L2:6MB,C0)	1.03G	0402 GO	
Dual-Core Xeon E3120(3.16GHz,1333FSB,L2:6MB,E0)	1.03G	0402 GO	

CPU	Validated since PCB	Validated since BIOS	Note
Dual-Core Xeon L3110(3.00GHz,1333FSB,L2:6MB,E0)	1.03G	0402 GO	
P4-3.20F GHz (EM64T)	ALL	0117 GO	
P4-3.40F GHz (EM64T)	ALL	0117 GO	
P4-3.40GHz(FSB800, revR0)	ALL	0117 GO	
P4-3.60F GHz (EM64T)	ALL	0117 GO	
P4-3.80F GHz (EM64T)	ALL	0117 GO	
P4-3.80GHz(FSB800, revR0)	ALL	0117 GO	
P4-505/505J (2.66 GHz) (533 FSB)(E0,D0)	ALL	0117 GO	
P4-506 (2.66 GHz) (533 FSB, EM64T)(E0,D0)	ALL	0117 GO	
P4-506 (2.66 GHz) (533 FSB, EM64T, revG1)	ALL	0117 GO	
P4-511 (2.8 GHz) (533 FSB, EM64T, revG)	ALL	0117 GO	
P4-511 (2.8 GHz) (533 FSB,revE0, EM64T)	ALL	0117 GO	
P4-515 (2.93 GHz) (533 FSB)(E0,D0)	ALL	0117 GO	
P4-516 (2.93 GHz) (533 FSB, EM64T)(D0,E0)	ALL	0117 GO	

CPU	Validated since PCB	Validated since BIOS	Note
P4-516 (2.93 GHz) (533 FSB, EM64T, revG1)	ALL	0117 GO	
P4-519K (3.06 GHz) (533 FSB, EM64T, revG1)	ALL	0117 GO	
P4-520/520J (2.8E GHz) (800 FSB) (D0)	1.03G	0202 GO	
P4-520/520J (2.8E GHz) (800 FSB) (D0)	ALL	0117 GO	
P4-520/520J (2.8E GHz) (800 FSB) (E0)	ALL	0117 GO	
P4-521 (2.8GHz, 800 FSB,HT, L2 1MB)(D0,E0)	1.03G	0202 GO	
P4-521 (2.8GHz, 800 FSB,HT, L2 1MB)(D0,E0)	ALL	0117 GO	
P4-524 (3.06GHz, 533 FSB,HT, L2 1M, revG1)	ALL	0117 GO	
P4-530/530J (3E GHz) (800 FSB) (D0,E0)	1.03G	0202 GO	
P4-530/530J (3E GHz) (800 FSB) (D0,E0)	ALL	0117 GO	
P4-531 (3GHz, 800 FSB, L2 1MB)(D0,E0)	1.03G	0202 GO	
P4-531 (3GHz, 800 FSB, L2 1MB)(D0,E0)	ALL	0117 GO	
P4-540/540J (3.2E GHz) (800 FSB) (E0,D0)	1.03G	0202 GO	
P4-540/540J (3.2E GHz) (800 FSB) (E0,D0)	ALL	0117 GO	

CPU	Validated since PCB	Validated since BIOS	Note
P4-541 (3.2GHz, 800 FSB, L2 1MB)(E0,D0)	1.03G	0202 GO	
P4-541 (3.2GHz, 800 FSB, L2 1MB)(E0,D0)	ALL	0117 GO	
P4-550/550J (3.4E GHz) (800 FSB) (D0.E0)	1.03G	0202 GO	
P4-550/550J (3.4E GHz) (800 FSB) (D0.E0)	ALL	0117 GO	
P4-551 (3.4GHz, 800 FSB, L2 1MB,D0,E0)	1.03G	0202 GO	
P4-551 (3.4GHz, 800 FSB, L2 1MB,D0,E0)	ALL	0117 GO	
P4-560/560J (3.6 GHz) (800 FSB) (DO,E0)	1.03G	0202 GO	
P4-560/560J (3.6 GHz) (800 FSB) (DO,E0)	ALL	0117 GO	
P4-561 (3.6GHz, 800 FSB, L2 1MB)	ALL	0117 GO	
P4-561 (3.6GHz, 800 FSB, L2 1MB)(E0,DO)	1.03G	0202 GO	
P4-570J (3.8 GHz) (800 FSB) (D0,E0)	1.03G	0202 GO	
P4-570J (3.8 GHz) (800 FSB) (D0,E0)	ALL	0117 GO	
P4-571 (3.8GHz, 800 FSB, L2 1MB V E0)	1.03G	0202 GO	
P4-571 (3.8GHz, 800 FSB, L2 1MB V E0)	ALL	0117 GO	

CPU	Validated since PCB	Validated since BIOS	Note
P4-630 (3.0E GHz, 800 FSB, L2:2MB, EM64T, HT)	1.03G	0202 GO	
P4-630 (3.0E GHz, 800 FSB, L2:2MB, EM64T, HT)	ALL	0117 GO	
P4-631 (65nm,3.0GHz, 800 FSB, L2:2MB, revB1)	ALL	0117 GO	
P4-631 (65nm,3.0GHz, 800 FSB, L2:2MB, revB1)	1.03G	0202 GO	
P4-631 (65nm,3.0GHz, 800 FSB, L2:2MB, revC1)	ALL	0117 GO	
P4-631 (65nm,3.0GHz, 800 FSB, L2:2MB, revD0)	ALL	0117 GO	
P4-640 (3.2E GHz, 800 FSB, L2:2MB, EM64T, HT)	1.03G	0202 GO	
P4-640 (3.2E GHz, 800 FSB, L2:2MB, EM64T, HT)	ALL	0117 GO	
P4-641 (65nm,3.2GHz, 800 FSB, L2:2MB, revB1)	1.03G	0202 GO	
P4-641 (65nm,3.2GHz, 800 FSB, L2:2MB, revB1)	ALL	0117 GO	
P4-641 (65nm,3.2GHz, 800 FSB, L2:2MB, revC1)	ALL	0117 GO	
P4-641 (65nm,3.2GHz, 800 FSB, L2:2MB, revD0)	ALL	0117 GO	
P4-650 (3.4E GHz, 800 FSB, L2:2MB, EM64T, HT)	1.03G	0202 GO	
P4-650 (3.4E GHz, 800 FSB, L2:2MB, EM64T, HT)	ALL	0117 GO	

CPU	Validated since PCB	Validated since BIOS	Note
P4-651 (65nm,3.4GHz, 800 FSB, L2:2MB, revB1)	1.03G	0202 GO	
P4-651 (65nm,3.4GHz, 800 FSB, L2:2MB, revB1)	ALL	0117 GO	
P4-651 (65nm,3.4GHz, 800 FSB, L2:2MB, revC1)	ALL	0117 GO	
P4-651 (65nm,3.4GHz, 800 FSB, L2:2MB, revD0)	ALL	0117 GO	
P4-660 (3.6E GHz, 800 FSB, L2:2MB, EM64T, HT)	ALL	0117 GO	
P4-660 (3.6E GHz, 800 FSB, L2:2MB, EM64T, HT)	1.03G	0202 GO	
P4-661 (65nm,3.6GHz, 800 FSB, L2:2MB, revB1)	ALL	0117 GO	
P4-661 (65nm,3.6GHz, 800 FSB, L2:2MB, revC1)	ALL	0117 GO	
P4-661 (65nm,3.6GHz, 800 FSB, L2:2MB, revD0)	ALL	0117 GO	
P4-662 (3.6 GHz, 800 FSB, L2:2MB, EM64T, HT, revR0)	ALL	0117 GO	
P4-662 (3.6 GHz, 800 FSB, L2:2MB, EM64T, HT, revR0)	1.03G	0202 GO	
P4-670 (3.8 GHz, 800 FSB, L2:2MB,N0)	ALL	0117 GO	
P4-670 (3.8 GHz, 800 FSB, L2:2MB,N0)	1.03G	0202 GO	
P4-672 (3.8 GHz, 800 FSB, L2:2MB, revR0)	ALL	0117 GO	

CPU	Validated since PCB	Validated since BIOS	Note
P4-672 (3.8 GHz, 800 FSB, L2:2MB, revR0)	1.03G	0202 GO	
Pentium D 805 (2.66 GHz, 533 FSB, revB0)	ALL	0117 GO	
Pentium D 820 (2.8 GHz, 800 FSB, revA0)	ALL	0117 GO	
Pentium D 820 (2.8 GHz, 800 FSB, revA0)	1.03G	0202 GO	
Pentium D 820 (2.8 GHz, 800 FSB, revB0)	ALL	0117 GO	
Pentium D 820 (2.8 GHz, 800 FSB, revB0)	1.03G	0202 GO	
Pentium D 830 (3.0 GHz, 800 FSB, revA0)	ALL	0117 GO	
Pentium D 830 (3.0 GHz, 800 FSB, revA0)	1.03G	0202 GO	
Pentium D 830 (3.0 GHz, 800 FSB, revB0)	ALL	0117 GO	
Pentium D 830 (3.0 GHz, 800 FSB, revB0)	1.03G	0202 GO	
Pentium D 840 (3.2 GHz, 800 FSB, revA0)	1.03G	0202 GO	
Pentium D 840 (3.2 GHz, 800 FSB, revA0)	ALL	0117 GO	
Pentium D 840 (3.2 GHz, 800 FSB, revB0)	1.03G	0202 GO	
Pentium D 840 (3.2 GHz, 800 FSB, revB0)	ALL	0117 GO	

CPU	Validated since PCB	Validated since BIOS	Note
Pentium D 915(2.8GHz, 800 FSB, L2 4MB, revC1, without VT function)	ALL	0117 GO	
Pentium D 915(2.8GHz, 800 FSB, L2 4MB, revD0,without VT function)	ALL	0312 GO	
Pentium D 920(2.8GHz, 800 FSB, L2 4MB, revB1)	ALL	0117 GO	
Pentium D 920(2.8GHz, 800 FSB, L2 4MB, revB1)	1.03G	0202 GO	
Pentium D 925(3.0GHz, 800 FSB, L2 4MB, revC1, without VT function)	ALL	0117 GO	
Pentium D 925(3.0GHz, 800 FSB, L2 4MB, revD0, without VT function)	ALL	0312 GO	
Pentium D 930(3.0GHz, 800 FSB, L2 4MB, revB1)	ALL	0117 GO	
Pentium D 930(3.0GHz, 800 FSB, L2 4MB, revB1)	1.03G	0202 GO	
Pentium D 930(3.0GHz, 800 FSB, L2 4MB, revC1)	ALL	0117 GO	
Pentium D 930(3.0GHz, 800 FSB, L2 4MB, revC1)	1.03G	0202 GO	
Pentium D 935(3.2GHz, 800 FSB, L2 4MB, 95W, revD0)	ALL	0501 GO	
Pentium D 940(3.2GHz, 800 FSB, L2 4MB, revB1)	ALL	0117 GO	
Pentium D 940(3.2GHz, 800 FSB, L2 4MB, revB1)	1.03G	0202 GO	
Pentium D 940(3.2GHz, 800 FSB, L2 4MB, revC1)	1.03G	0202 GO	

CPU	Validated since PCB	Validated since BIOS	Note
Pentium D 940(3.2GHz, 800 FSB, L2 4MB, revC1)	ALL	0117 [GO]	
Pentium D 945(3.4GHz, 800 FSB, L2 4MB, revC1, without VT function)	ALL	0117 [GO]	
Pentium D 945(3.4GHz, 800 FSB, L2 4MB, revD0, without VT function)	ALL	0117 [GO]	
Pentium D 950(3.4GHz, 800 FSB, L2 4MB, revB1)	ALL	0117 [GO]	
Pentium D 950(3.4GHz, 800 FSB, L2 4MB, revC1)	1.03G	0202 [GO]	
Pentium D 950(3.4GHz, 800 FSB, L2 4MB, revC1)	ALL	0117 [GO]	
Pentium D 950(3.4GHz, 800 FSB, L2 4MB, revD0)	1.03G	0202 [GO]	
Pentium D 950(3.4GHz, 800 FSB, L2 4MB, revD0)	ALL	0312 [GO]	
Pentium D 955(3.4GHz, 1066 FSB, L2 4MB, revB1)	1.03G	0202 [GO]	
Pentium D 960(3.6GHz, 800 FSB, L2 4MB, revC1)	1.03G	0202 [GO]	
Pentium D 960(3.6GHz, 800 FSB, L2 4MB, revC1)	ALL	0117 [GO]	
Pentium D 960(3.6GHz, 800 FSB, L2 4MB, revD0)	1.03G	0202 [GO]	
Pentium D 960(3.6GHz, 800 FSB, L2 4MB, revD0)	ALL	0117 [GO]	
Pentium Dual Core E2140(1.6GHz, 800FSB, L2 1MB,L2)	1.03G	0202 [GO]	

CPU	Validated since PCB	Validated since BIOS	Note
Pentium Dual Core E2140(1.6GHz, 800FSB, L2 1MB,L2)	ALL	0903 GO	
Pentium Dual Core E2140(1.6GHz,800FSB,L2 1MB,M0)	1.03G	0202 GO	
Pentium Dual Core E2140(1.6GHz,800FSB,L2 1MB,M0)	ALL	1201 GO	
Pentium Dual Core E2160(1.8GHz, 800FSB, L2 1MB,L2)	1.03G	0202 GO	
Pentium Dual Core E2160(1.8GHz, 800FSB, L2 1MB,L2)	ALL	0903 GO	
Pentium Dual Core E2160(1.8GHz,800FSB,L2 1MB,M0)	1.03G	0202 GO	
Pentium Dual Core E2160(1.8GHz,800FSB,L2 1MB,M0)	ALL	1201 GO	
Pentium Dual Core E2180(2.0GHz,800FSB,L2 1MB,M0)	1.03G	0304 GO	
Pentium Dual Core E2180(2.0GHz,800FSB,L2 1MB,M0)	ALL	1201 GO	
Pentium Dual Core E2200(2.2GHz,800FSB,L2 1MB,M0)	ALL	1205 GO	
Pentium Dual Core E2220(2.4GHz,800FSB,L2 1MB,M0)	ALL	1205 GO	
Pentium Dual Core E2220(2.4GHz,800FSB,L2 1MB,M0)	1.03G	0304 GO	
Pentium Dual Core E5200 (2.50GHz,800FSB,L2:2MB,rev.M0)	1.03G	0402 GO	
Pentium Dual Core E5400 (2.70GHz,800FSB,L2:2MB,rev.R0)	1.03G	0402 GO	

CPU	Validated since PCB	Validated since BIOS	Note
Pentium Dual Core E6300 (2.8GHz,1066FSB,L2:2MB,rev.R0)	1.03G	0402 GO	
Pentium Extreme Ed-840 (3.2 GHz, 800 FSB, revA0)	ALL	0117 GO	
Pentium Extreme Ed-840 (3.2 GHz, 800 FSB, revA0)	1.03G	0202 GO	
Pentium Extreme Ed-840 (3.2 GHz, 800 FSB, revB0)	ALL	0117 GO	
Pentium Extreme Ed-840 (3.2 GHz, 800 FSB, revB0)	1.03G	0202 GO	
Pentium Extreme ED-955(3.46GHz, rev A0,B1)	ALL	0117 GO	
Pentium Extreme ED-955(3.46GHz, rev A0,B1)	1.03G	0202 GO	
Pentium Extreme ED-965(3.73GHz, rev C1)	ALL	0117 GO	
Pentium Extreme ED-965(3.73GHz, rev C1)	1.03G	0202 GO	
Quad-Core Xeon L3360(2.83GHz,1333FSB,L2:12MB,E0)	1.03G	0402 GO	
Quad-Core Xeon X3210(2.13GHz 1066FSB,L2:8MB,G0)	1.03G	0304 GO	
Quad-Core Xeon X3210(2.13GHz,1066FSB,L2:8MB,B3)	1.03G	0202 GO	
Quad-Core Xeon X3220(2.40GHz,1066FSB,L2:8MB,B3)	1.03G	0202 GO	
Quad-Core Xeon X3220(2.40GHz,1066FSB,L2:8MB,G0)	1.03G	0304 GO	

CPU	Validated since PCB	Validated since BIOS		Note
Quad-Core Xeon X3230(2.66GHz,1066FSB,L2:8MB,G0)	1.03G	0304	GO	
Quad-Core Xeon X3320(2.50GHz,1333FSB,L2:6MB,M0)	1.03G	0202	GO	
Quad-Core Xeon X3320(2.50GHz,1333FSB,L2:6MB,M1)	1.03G	0304	GO	
Quad-Core Xeon X3320(2.50GHz,1333FSB,L2:6MB,R0)	1.03G	0402	GO	
Quad-Core Xeon X3330(2.66GHz,1333FSB,L2:6MB,R0)	1.03G	0402	GO	
Quad-Core Xeon X3350(2.66GHz,1333FSB,L2:12MB,C0)	1.03G	0304	GO	
Quad-Core Xeon X3350(2.66GHz,1333FSB,L2:12MB,C1)	1.03G	0304	GO	
Quad-Core Xeon X3350(2.66GHz,1333FSB,L2:12MB,E0)	1.03G	0402	GO	
Quad-Core Xeon X3360(2.83GHz,1333FSB,L2:12MB,C0)	1.03G	0304	GO	
Quad-Core Xeon X3360(2.83GHz,1333FSB,L2:12MB,C1)	1.03G	0402	GO	
Quad-Core Xeon X3360(2.83GHz,1333FSB,L2:12MB,E0)	1.03G	0402	GO	
Quad-Core Xeon X3370(3.00GHz,1333FSB,L2:12MB,E0)	1.03G	0402	GO	
Quad-Core Xeon X3380(3.16GHz,1333FSB,L2:12MB,E0)	1.03G	0402	GO	

NEED HELP?

✉ **Email Us**   📍 **Find service locations**

- Products certified by the Federal Communications Commission and Industry Canada will be distributed in the United States and Canada. Please visit the ASUS USA and ASUS Canada websites for information about locally available products.
- All specifications are subject to change without notice. Please check with your supplier for exact offers. Products may not be available in all markets.
- Specifications and features vary by model, and all images are illustrative. Please refer to specification pages for full details.
- PCB color and bundled software versions are subject to change without notice.
- Brand and product names mentioned are trademarks of their respective companies.
- The terms HDMI and HDMI High-Definition Multimedia Interface, HDMI trade dress and the HDMI Logos are trademarks or registered trademarks of HDMI Licensing Administrator, Inc. in the United States and other countries.

Shop and Learn

Mobile / Handhelds

Phones

Accessories

Laptops

For Home

For Work

For Creators

For Students

For Gaming

Accessories

Displays / Desktops

Monitors

Projectors

All-in-One PCs

Tower PCs

Gaming Tower PCs

NUCs

Mini PCs

Workstations

Accessories

Motherboards / Components

Motherboards

Graphics Cards

Cases

Cooling

Power Supply Units

Sound Cards

Optical Drives

Data Storage

About Us

About ASUS

News

Investor Relations

Press Room

ASUSTOR Inc.

ASUS Cloud Corporation

UniMax Electronics Inc.

Learn More

AI PC

Support

Check Repair Status

Find Service Locations

Product Registration

Email Us

Call Us

Security Advisory

ASUS Support Videos

MyASUS

Sustainability

ESG

Environment

External Graphics Docks

Networking / IoT / Servers

WiFi 7

WiFi 6

WiFi Routers

Whole Home Mesh WiFi System

Business Network Solutions

Wired Networking

Intelligent Robots

AIoT & Industrial Solutions

Servers

Smart Home

Accessories

Keyboards

Mice and Mouse Pads

Headsets and Audio

Streaming Kits

Apparel Bags and Gear

Cases and Protection

Adapters and Chargers

Docks Dongles and Cable

Power Banks

Controller

Gimbal

Advanced AI PCs

Asus Design Center

ASUSPRO

Automotive Solutions

AVC Licensing Notice

ASUS Blog

Armoury Crate

Aura

Get the latest deals and more

Enter email address   Sign up

ProArt   ProArt

Global / English