

P5GDC Deluxe



ProArt

Gaming

Business

Mobile Laptops


Displays /
Desktops

Motherboards /
Components

Networking /
IoT / Servers

Accessories

Support



Product Support For P5GDC Deluxe

[Find Another Model >](#)

[Get Product Support](#)

[Register Product](#)

[CPU / Memory Support](#)

[Driver & Utility](#)

[FAQ](#)

[Manual & Document](#)

CPU SUPPORT

[CPU Support](#)

[Memory / Device Support](#)

NEED HELP?

The following table shows the supported CPUs for this motherboard [Click here to search other motherboards.](#)

[Email Us](#)

[Find service locations](#)

CPU	Validated since PCB	Validated since BIOS	Note
Celeron D 325J (2.53 GHz, 533 FSB, LGA775)	ALL	1003 GO	System may not boot up with earlier version BIOS

P5GDC Deluxe

Celeron D 320(2.55 GHz, 533 FSB, LGA775)E0,EM64T	ALL	1011	GO	
Celeron D 326(2.53 GHz, 533 FSB, revG1, LGA775)	ALL	1011	GO	
Celeron D 330J (2.66 GHz, 533 FSB, LGA775)	ALL	1003	GO	System may not boot up with earlier version BIOS
Celeron D 331(2.66 GHz, 533 FSB, LGA775)E0,EM64T	ALL	1007	GO	
Celeron D 331(2.66 GHz, 533 FSB, revG1, LGA775)	ALL	1011	GO	
Celeron D 335J (2.80 GHz, 533 FSB, LGA775)	ALL	1003	GO	System may not boot up with earlier version BIOS
Celeron D 336 (2.80 GHz, 533 FSB, LGA775)E0,EM64T	ALL	1007	GO	
Celeron D 336 (2.80 GHz, 533 FSB, revG1, LGA775)	ALL	1011	GO	
Celeron D 340J (2.93 GHz, 533 FSB, LGA775)	ALL	1003	GO	System may not boot up with earlier version BIOS
Celeron D 341 (2.93 GHz, 533 FSB, LGA775)E0,EM64T	ALL	1007	GO	
Celeron D 341 (2.93 GHz, 533 FSB, revG1, LGA775)	ALL	1011	GO	
Celeron D 345J (3.06 GHz, 533 FSB, LGA775)	ALL	1003	GO	
Celeron D 346 (3.06 GHz, 533 FSB, LGA775)E0,EM64T	ALL	1007	GO	



P5GDC Deluxe

Celeron D 340 (3.00 GHz, 533 FSB, revG1, LGA775)	ALL		GO	
Celeron D 351 (3.2 GHz, 533 FSB, LGA775)E0,EM64T	ALL	1007	GO	
Celeron D 351 (3.2 GHz, 533 FSB, revG1, LGA775)	ALL	1011	GO	
Celeron D 355 (3.33 GHz, 533 FSB, L2:256KB, revG1, LGA775)	ALL	1011	GO	
P4-3.20F GHz (EM64T)	ALL	1003	GO	Tested in 32-bit O.S. currently
P4-3.40 GHz Extreme Ed. (800 FSB, HT, revM0, LGA775)	ALL	ALL	GO	
P4-3.40F GHz (EM64T)	ALL	1003	GO	Tested in 32-bit O.S. currently
P4-3.40GHz(FSB800, revR0)	ALL	1011	GO	
P4-3.60F GHz (EM64T)	ALL	1003	GO	Tested in 32-bit O.S. currently
P4-3.80F GHz (EM64T)	ALL	1006	GO	
P4-3.80GHz(FSB800, revR0)	ALL	1011	GO	
P4-505/505J (2.66 GHz) (533 FSB)(E0,D0)	ALL	1006	GO	
P4-506 (2.66 GHz) (533 FSB, EM64T)(E0,D0)	ALL	1007	GO	



P5GDC Deluxe

P4-506 (2.66 GHz) (533 FSB, EM64T, revG1)	ALL		GO	
P4-511 (2.8 GHz) (533 FSB, EM64T, revG)	ALL	1011	GO	
P4-511 (2.8 GHz) (533 FSB, revE0, EM64T)	ALL	1007	GO	
P4-515 (2.93 GHz) (533 FSB)(E0,D0)	ALL	1006	GO	
P4-516 (2.93 GHz) (533 FSB, EM64T)(D0,E0)	ALL	1007	GO	
P4-516 (2.93 GHz) (533 FSB, EM64T, revG1)	ALL	1011	GO	
P4-519K (3.06 GHz) (533 FSB, EM64T, revG1)	ALL	1011	GO	
P4-520/520J (2.8E GHz) (800 FSB) (D0)	ALL	1003	GO	520J may not boot up with earlier BIOS.
P4-520/520J (2.8E GHz) (800 FSB) (E0)	ALL	1003	GO	
P4-521 (2.8GHz, 800 FSB, HT, L2 1MB)(D0,E0)	ALL	1006	GO	
P4-524 (3.06GHz, 533 FSB, HT, L2 1M, revG1)	ALL	1011	GO	
P4-530/530J (3E GHz) (800 FSB) (D0,E0)	ALL	1003	GO	530J may not boot up with earlier BIOS.
P4-531 (3GHz, 800 FSB, L2 1MB)(D0,E0)	ALL	1006	GO	



P5GDC Deluxe

P4-540/540J (3.2E GHz) (800 FSB) (E0,D0)	ALL	1006	GO	540J may not boot up with earlier BIOS.
P4-541 (3.2GHz, 800 FSB, L2 1MB)(E0,D0)	ALL	1006	GO	
P4-550/550J (3.4E GHz) (800 FSB) (D0,E0)	ALL	1003	GO	550J may not boot up with earlier BIOS.
P4-551 (3.4GHz, 800 FSB, L2 1MB,D0,E0)	ALL	1011	GO	
P4-560/560J (3.6 GHz) (800 FSB) (D0,E0)	ALL	1003	GO	560J may not boot up with earlier BIOS.
P4-561 (3.6GHz, 800 FSB, L2 1MB)	ALL	1006	GO	
P4-570J (3.8 GHz) (800 FSB) (D0,E0)	ALL	1003	GO	570J may not boot up with earlier BIOS.
P4-571 (3.8GHz, 800 FSB, L2 1MB V E0)	ALL	1006	GO	
P4-630 (3.0E GHz, 800 FSB, L2:2MB, EM64T, HT)	ALL	1007	GO	
P4-640 (3.2E GHz, 800 FSB, L2:2MB, EM64T, HT)	ALL	1007	GO	
P4-650 (3.4E GHz, 800 FSB, L2:2MB, EM64T, HT)	ALL	1007	GO	
P4-660 (3.6E GHz, 800 FSB, L2:2MB, EM64T, HT)	ALL	1007	GO	
P4-662 (3.6 GHz, 800 FSB, L2:2MB, EM64T, HT, revRO)	ALL	1011	GO	



P5GDC Deluxe

P4-670 (3.8 GHz, 800 FSB, L2:2MB,NO)	ALL		GO
P4-672 (3.8 GHz, 800 FSB, L2:2MB, revRO)	ALL	1011	GO



Shop and Learn

- Mobile
- Phones
- Accessories
- Laptops
- For Home
- For Work
- For Creators
- For Students
- For Gaming
- Accessories
- Displays / Desktops
- Monitors
- Projectors
- All-in-One PCs
- Tower PCs
- Gaming Tower PCs
- Mini PCs

- Workstations
- Accessories
- Motherboards / Components**
- Motherboards
- Graphics Cards
- Gaming Cases
- Cooling
- Power Supply Units
- Sound Cards
- Optical Drives
- Data Storage
- External Graphics Docks
- Networking / IoT / Servers**
- WiFi Routers
- Whole Home Mesh WiFi

- Wired Networking
- Intelligent Robots
- AIoT & Industrial Solutions
- Servers
- Smart Home
- Accessories**
- Keyboards
- Mice and Mouse Pads
- Headsets and Audio
- Streaming Kits
- Apparel Bags and Gear
- Cases and Protection
- Adapters and Chargers
- Docks Dongles and Cable
- Power Banks
- Controller
- Gimbal

Learn More

- Asus Design Center
- ASUSPRO
- Automotive Solutions
- AVC Licensing Notice
- Support**
- Check Repair Status
- Find Service Locations
- Product Registration
- Email Us
- Call Us
- Security Advisory
- ASUS Support Videos
- MyASUS

About Us

- About ASUS
- News
- Investor Relations
- About CSR for global
- Press Room
- ASUSTOR Inc.
- ASUS Cloud Corporation
- UniMax Electronics Inc.

Community

